# INDEX 1965, Nos. 1-4

### NEW NAMES

Crinia riparia, 319
Cubiceps athenae, 502
Eleutherodactylus octavioi, 440
Eleutherodactylus lehmanvalenciae, 425
Evomus, 34
Evomus navaho, 34
?Gila cristifera, 37
Gyrinophilus palleucus gulolineatus, 347
Hyla baderi, 75

Labrisomus (Labrisomus) pomaspilus, 25 Lisserpeton, 90 Lisserpeton bairdi, 90 Nansenia crassa, 282 Ptychocheilus prelucius, 31 Rana johni, 517 Typhlops syntherus, 436 Vorhisia, 179 Vorhisia vulpes, 180 ang ang ang

Ang

ang

Anh

Ani.

su

vi

Ano

be

co

Ano

Ano ki Ano anta

Aph Apo

Apo

Apri

Apre

Apso

aqui

Arch

Arct

arde

arde.

arga

arga

arga

arger

Arge

arger

Argy

Argy

arion

(Ariv

Artee

ascen

asiati

Astro

Astya

ataca

ataen

ather

Ather

atlan

atlan

atrari

atrata

atrilo

atripe

atripi

atripi

atron

atrop

atrop

Auloj

mo

ha

lat Arth

reg

re

## ESTABLISHED NAMES

Abbottina rivularis, 462 Ablennes, 388-91 hians, 391-2 Abudefduf saxatilis, 294 troschelii, 291, 294, 300 Acanthalburnus, 256 microlepis, 255 acanthias, Squalus, 378 Acanthurus, 111 bahianus, 110-1 chirurgus, 296 triostegus sandvicensis, 296 Acentrophorus, 186-7 Acris gryllus, 58-66, 75-6 Acrocheilus, 37-40 acronotus, Carcharhinus, 378 acuminatus, Equetus, 300 acus, 387 acus pacificus, Tylosurus, 392 acus, Sphyraena, 391 acus, Tylosurus, 390-2 acutus, Provaranosaurus, 105 adscensionis, Epinephelus, 111 aeneus, Corydoras, 227 affinis, Euthynnus, 234–5 affinis, Gambusia, 255 affinis holbrookii, Gambusia, 238-9, 524 Agama agama, 531 Agamodon, 327–30 anguliceps, 324-31 agassizii, Gopherus, 338 agilis, Lacerta, 393 Agkistrodon, 246 contortrix, 246-7 contortrix austrinus, 246 contortrix mokasen, 246-7 alba, Amphisbaena, 106 albacares, Thunnus, 112, 235 albiventris, Telmatobius, 424 Albula, 187, 191-2 Alburnoides, 256 Alburnus, 256 Alestes nurse, 187 Alfaro, 118 alleganiensis, Cryptobranchus, 369-70 Alligator mississippiensis, 119 Alosa, 229 brashnikovi, 525

maeotica, 525

МΙ

pontica, 525 sapidissima, 8 teres, 228-30 Alphestes, 297 multiguttatus, 297 alpinus, Salvelinus, 14, 17–9 altimus, Carcharhinus, 384 altipinnis, Bathophilus, 530 amblycephalus, Johnius, 253 amblyceps, Pseudosciaena, 253 Amblyrhynchus, 409 cristatus, 249-50, 401 Ambystoma, 76 cingulatum, 342-6 cingulatum bishopi, 342-6 laterale, 352 maculatum, 53-8, 352-62, 373-4 texanum, 352 tigrinum, 72-6, 352 tremblavi, 352 Ameiva chrysolaema, 409 americanus, Bufo, 353, 373-4 americanus vermiculatus, Esox, 66 Amia, 187-92, 257 Ammocrypta, 241 clara, 241 Ammodytes cicerellus, 524 amoenus, Carphophis, 77 Amorphocephalus, 488 amoyensis, Pennahia, 254 amoyensis, Pseudosciaena, 253-4 amphibia, Capoeta, 255 Amphibolurus, 169, 171 Amphisbaena, 328–30 alba, 106 gonavensis, 438-9 heterozonata, 324-5 innocens, 438 punctata, 324 vermicularis darwini, 324 Amyzon, 28, 40 analostanus, Notropis, 1, 3, 7 anchovia, Sardinella, 229 Anchylorana, 73, 517 moorei, 517 andersonii, Hyla, 74 aneus, Johnius, 253 angolensis, Rana, 259 angorae bureschi, Noemacheilus, 255

# INDEX 1965, Nos. 1-4

### NEW NAMES

Crinia riparia, 319
Cubiceps athenae, 502
Eleutherodactylus octavioi, 440
Eleutherodactylus lehmanvalenciae, 425
Evomus, 34
Evomus navaho, 34
?Gila cristifera, 37
Gyrinophilus palleucus gulolineatus, 347
Hyla baderi, 75

Labrisomus (Labrisomus) pomaspilus, 25 Lisserpeton, 90 Lisserpeton bairdi, 90 Nansenia crassa, 282 Ptychocheilus prelucius, 31 Rana johni, 517 Typhlops syntherus, 436 Vorhisia, 179 Vorhisia vulpes, 180 ang ang ang

Ang

ang

Anh

Ani.

su

vi

Ano

be

co

Ano

Ano ki Ano anta

Aph Apo

Apo

Apri

Apre

Apso

aqui

Arch

Arct

arde

arde.

arga

arga

arga

arger

Arge

arger

Argy

Argy

arion

(Ariv

Artee

ascen

asiati

Astro

Astya

ataca

ataen

ather

Ather

atlan

atlan

atrari

atrata

atrilo

atripe

atripi

atripi

atron

atrop

atrop

Auloj

mo

ha

lat Arth

reg

re

## ESTABLISHED NAMES

Abbottina rivularis, 462 Ablennes, 388-91 hians, 391-2 Abudefduf saxatilis, 294 troschelii, 291, 294, 300 Acanthalburnus, 256 microlepis, 255 acanthias, Squalus, 378 Acanthurus, 111 bahianus, 110-1 chirurgus, 296 triostegus sandvicensis, 296 Acentrophorus, 186-7 Acris gryllus, 58-66, 75-6 Acrocheilus, 37-40 acronotus, Carcharhinus, 378 acuminatus, Equetus, 300 acus, 387 acus pacificus, Tylosurus, 392 acus, Sphyraena, 391 acus, Tylosurus, 390-2 acutus, Provaranosaurus, 105 adscensionis, Epinephelus, 111 aeneus, Corydoras, 227 affinis, Euthynnus, 234–5 affinis, Gambusia, 255 affinis holbrookii, Gambusia, 238-9, 524 Agama agama, 531 Agamodon, 327–30 anguliceps, 324-31 agassizii, Gopherus, 338 agilis, Lacerta, 393 Agkistrodon, 246 contortrix, 246-7 contortrix austrinus, 246 contortrix mokasen, 246-7 alba, Amphisbaena, 106 albacares, Thunnus, 112, 235 albiventris, Telmatobius, 424 Albula, 187, 191-2 Alburnoides, 256 Alburnus, 256 Alestes nurse, 187 Alfaro, 118 alleganiensis, Cryptobranchus, 369-70 Alligator mississippiensis, 119 Alosa, 229 brashnikovi, 525

maeotica, 525

МΙ

pontica, 525 sapidissima, 8 teres, 228-30 Alphestes, 297 multiguttatus, 297 alpinus, Salvelinus, 14, 17–9 altimus, Carcharhinus, 384 altipinnis, Bathophilus, 530 amblycephalus, Johnius, 253 amblyceps, Pseudosciaena, 253 Amblyrhynchus, 409 cristatus, 249-50, 401 Ambystoma, 76 cingulatum, 342-6 cingulatum bishopi, 342-6 laterale, 352 maculatum, 53-8, 352-62, 373-4 texanum, 352 tigrinum, 72-6, 352 tremblavi, 352 Ameiva chrysolaema, 409 americanus, Bufo, 353, 373-4 americanus vermiculatus, Esox, 66 Amia, 187-92, 257 Ammocrypta, 241 clara, 241 Ammodytes cicerellus, 524 amoenus, Carphophis, 77 Amorphocephalus, 488 amoyensis, Pennahia, 254 amoyensis, Pseudosciaena, 253-4 amphibia, Capoeta, 255 Amphibolurus, 169, 171 Amphisbaena, 328–30 alba, 106 gonavensis, 438-9 heterozonata, 324-5 innocens, 438 punctata, 324 vermicularis darwini, 324 Amyzon, 28, 40 analostanus, Notropis, 1, 3, 7 anchovia, Sardinella, 229 Anchylorana, 73, 517 moorei, 517 andersonii, Hyla, 74 aneus, Johnius, 253 angolensis, Rana, 259 angorae bureschi, Noemacheilus, 255 25

angorae lenkoranensis, Noemacheilus, 255 angorae, Noemacheilus, 255 anguinus, Proteus, 350 Anguis fragilis, 517 anguliceps, Agamodon, 324-31 angusticeps, Belone, 389 Anhydrophryne, 259 Anisotremus interruptus, 291, 298, 300 surinamensis, 45 virginicus, 45 anisurum, Moxostoma, 472-3 Anolis, 72, 399, 414 barkeri, 263 carolinensis, 409 anomalum, Campostoma, 266, 287 Anops, 324, 328-30 Anopsibaena, 324 kingi, 324 Anoptichthys, 222 antarcticum, Pleurogramma, 306 Aphyonus mollis, 236 Apodichthys flavidus, 508 Apogon maculatus, 298 retrosella, 291, 298, 300 Aprionodon isodon, 378 Aprodon cortezianus, 457-8 Apsopelix berycinus, 178 aquila, Sciaena, 253 Arapaima, 187 Archoplites interruptus, 224-8, 456-8 Arctosa cinerea, 65 ardens, Notropis, 266, 280 ardesiaca, Nansenia, 282-4 argalus, 387 argalus, Belone, 390-1 argalus, Platybelone, 388-92 argentimaculata, Xyrichthys, 487, 490, 493, 496 Argentina, 529 argentiventris, Lutjanus, 291, 297, 300 Argyropelecus, 530 Argyrosomus, 253 regius, 253 ariommum, Moxostoma, 467, 470-2, 476, 480 (Arius), Otolithus, 178 Artedius delacyi, 507 harringtoni, 507 lateralis, 507 Arthroleptella, 259 ascensionis, Holocentrus, 297 asiaticus, Myxocyprinus, 470 asper, Trionyx spinifer, 373-4 Astronesthes, 530 Astyanax mexicanus, 215, 222 atacamensis, Telmatobius, 424 ataeniatus, Typhlops, 107 athenae, Cubiceps, 501-5 Atherina mochon, 255 mochon caspia, 255 atlantica, Nansenia, 282-4 atlanticum, Melanostigma, 442 atraria, Gila, 39 atratulus atratulus, Rhinichthys, 287 atrilobata, Chromis, 291, 293-4, 298, 300 atripectoralis, Chromis, 294 atripinne, Moxostoma (Thoburnia), 474 atripinnis, Thoburnia, 470-1, 474-6 atromaculatus, Semotilus, 266, 468 atropatenus, Rutilus, 255 atropurpureus, Xiphister, 508 Aulopus, 192

aurata, Cobitis, 255 auratus, Carassius, 379 auratus, Mugil, 255 aureus, Fundulus, 47 aurita, Sardinella, 229-30 aurolineatum, Bathystoma, 44 aurolineatum, Haemulon, 43-4 austrinum, Moxostoma, 470-2 austrinus, Agkistrodon contortrix, 246 Auxis, 112, 234 rochei, 111-4, 235 thazard, 111-4, 235 thynnoides, 111-2 avivoca, Hyla, 66, 74-5 axanthus, Pseudobranchus striatus, 72 axillaris, Wak, 254 aya, Chaetodon, 508 azalea, Runula, 291, 296, 300 azureus, Carcharhinus, 384

Bachia, 88 baderi, Hyla, 72-6 Bahaba, 254 bahianus, Acanthurus, 110-1 bairdi, Lisserpeton, 90-5 balboae, Fundulus, 47 Balistes polylepis, 291, 296-7, 301 verres, 291, 296-7, 300 vetula, 111 Barbourisia, 377 rufa, 376-7 Barbus, 256 brachycephalus caspius, 255 capito, 255 capoeta, 255 ciscaucasicus, 255 lacerta cyri, 255 mursa, 255 barkeri, Anolis, 263 Bathophilus, 530 altipinnis, 530 flemingi, 530 indicus, 530 metallicus, 530 vaillanti, 530 Bathylaco nigricans, 528, 530 Bathylagus, 529 Bathymaster caeruleofasciatus, 507 Bathystoma, 42-5 aurolineatum, 44 baudini, Smilisca, 168 beebei, Eupomacentrus, 250 Belone, 387-91, 524 angusticeps, 389 argalus, 390-1 belone, 387-8 carribaea, 391 crocodila, 391 exilis exilis, 392 fluviatilis, 392 fodiator, 388, 390-2 gavialoides, 388 hians, 389-91 houttuyni, 390-1 imperialis, 388-91 marisrubri, 388-91 melanota, 388-91 notata, 391 pacifica, 390-2

platyura, 388-91

buccata, Ericymba, 287

Bufo, 108-9, 129, 259, 263, 374

punctulata, 388 scapularis, 392 scolopacina, 389 stolzmanni, 390 strongylura, 388 taeniata, 389 belone, Belone, 387-8 belone, Esox, 387 belone var. marisrubri, Esox, 391 Belonesox, 117-8 Benthophilus stellatus, 524 bernacchii, Trematomus, 302-8 berus, Vipera, 148, 414 berycinus, Apsopelix, 178 bibroni, Pseudophryne, 321 bicolor, Rondeletia, 377 bicolor, Rypticus, 291, 297, 300 bifrenatus, Notropis, 455 biguttata, Hybopsis, 266-7 bimaculatum, Cichlasoma, 280 biminiensis, Typhlops, 438 binghami, Xyrichthys, 487, 490, 493 binotatus, Eleutherodactylus, 440 bishopi, Ambystoma cingulatum, 342-6 bishopi, Cryptobranchus, 369-70 bislineata cirrigera, Eurycea, 252 bislineata, Eurycea, 53, 251-2 bislineata wilderae, Eurycea, 252 bistincta, Hyla, 168 bitaeniatus, Chamaeleo, 363-5, 402-8 bivittatus, Halichoeres, 295 blanchardi, Hemipteronotus, 488–90, 496–7 blanchardi, Novaculichthys, 496 blandingii, Emydoidea, 373-4 blanoides, Cadea, 324-7 Blanus, 328-30 cinereus, 324 bleekeri, Pennahia, 254 blennioides, Etheostoma, 285-90, 308-9 Blennius galerita, 524 Blicca, 256 Boa constrictor, 121 Bodianus, 294-5, 300 diplotaenia, 291, 294-5, 300 bolivianus, Leptodactylus, 155 Bombina variegata, 140 boschmae, Haemulon, 41–5 boschmae, Pristipoma, 41–5 Bothragonus swani, 262, 507 brachycephalus caspius, Barbus, 255 Brachygenys, 42-5 brachyphona, Pseudacris, 74, 131 braminus, Typhlops, 107 Branchiostoma, 505-6 caribaeum, 505-6 nigeriense, 506 brashnikovi, Alosa, 525 brasiliensis, Pseudotylosurus, 389 Breviceps, 259 breviceps, Moxostoma, 472-3 brevipes, Lycodes, 457 brevipes, Telmatobius, 424 Brevoortia, 229 brimleyi, Pseudacris, 74 bromeliana, Hyla, 160, 164 Brotula multibarbata, 22-4 brunnea, Maynea, 457 brunneus, Ectenias, 232-3 Brycon meeki, 187 bubalus, Ictiobus, 470-1, 481

americanus, 353, 373-4 coccifer, 108-10 granulosus, 108-10 punctatus, 81 regularis, 258 terrestris, 74, 76 bulliwallah, Varanus, 119 bureschi, Noemacheilus angorae, 255 caddoensis, Plethodon, 331-5 Cadea, 328-30 blanoides, 324-7 caerulea, Clupea, 229-30 caeruleofasciatus, Bathymaster, 507 Caiman latirostris, 119 neivensis, 393 calabresii, Typhlops, 107 californiae, Hyla, 81, 129–41 californica, Oxyjulis, 295 californicus, Mustelus, 384 californiensis, Scarus, 291, 295, 300 Callichthys, 190 Callionymus himantophorus, 236 Campostoma anomalum, 266, 287 cancila, Esox, 389 candida, Nansenia, 282-5 canina, Snyderidia, 20-4 caninus, Caranx hippos, 299 cantrainii, Tylosurus, 388 capensis, Petalichthys, 388 capito, Barbus, 255 capitulatus, Typhlops, 436-9 capitulatus gonavensis, Typhlops, 438-9 Capoeta, 255 amphibia, 255 capoeta, Barbus, 255 capoeta, Cyprinus, 255 Caranx, 292, 389 hippos caninus, 299 Carassius, 455 auratus, 379 carbonaria, Geochelone, 335-42 Carcharhinus, 389 acronotus, 378 altimus, 384 azureus, 384 galapagensis, 384 limbatus, 384 porosus, 384 velox, 384 carcharias, Carcharodon, 384 Carcharodon carcharias, 384 caribaeum, Branchiostoma, 505-6 carinatus, Cubiceps, 502, 504 carolina major, Terrapene, 373-4 carolina, Terrapene, 513 carolina triunguis, Terrapene, 513 carolinensis, Anolis, 409 carolinensis, Gastrophryne, 66, 72-6 carolinus, Prionotus, 194-206 carpathica, Idrissia, 400 Carphophis amoenus, 77 carpio, Carpiodes, 480-1 carpio, Cyprinus, 174-7 Carpiodes, 467, 470, 480-1, 486 carpio, 480-1 cyprinus, 287, 480-1 velifer, 470-1, 480-1

carrit caspie caspie Caspi caspin caspin caten cateni catesb Catos cate coli com insi lati mad occi syne caucas caucas caudin Causu centra Centre Centre centro cephal

cephal

cerasir

cervin

Cetom

Chaete

Chalca

chalco Chamo chan graci jacks leiki chamei Chamo chaneq Chanos chan chaque Charac Charax Chasm cujus Chelyd chilien. chilien: Chirole

chirurg Chondr cyri, oxyrl schm Chromi atribo Chrosoi oreas

Chirop

chrysari Chrysen picta picta picta carribaea, Belone, 391 caspia, Atherina mochon, 255 caspia, Cobitis, 255 Caspiomyzon wagneri, 255 caspius, Barbus brachycephalus, 255 caspius, Syngnathus nigrolineatus, 255 catenatus, Fundulus, 47 catenifer, Pituophis, 244-5 catesbeiana, Rana, 73-6, 122, 373-4 Catostomus, 40, 467, 470, 478-80, 482 catostomus, 478, 480 columbianus, 478-80 commersonii, 469-71, 478-9, 484-5 insignis, 470-1, 478-80 latipinnis, 40 macrocheilus, 478-9 occidentalis, 478 syncheilus, 479 caucasicus, Leucaspius delineatus, 255 caucasicus, Pomatoschistus, 255 caudimaculata, Strongylura, 388 Causus rhombeatus, 148 centralis, Echinosaura, 84-5 Centrolophus, 233 Centropristes ocyurus, 508 centroura, Dasyatis, 378 cephalarges constructor, Gobius, 255 cephalarges, Gobius, 524 cerasinus, Notropis, 266 cervinum, Moxostoma, 470-2, 475, 480, 484 Cetomimus gillii, 377 Chaetodon aya, 508 Chalcalburnus chalcoides, 524 chalcoides, Chalcalburnus, 524 Chamaeleo bitaeniatus, 363-5, 401-8 chameleon, 405-8 gracilis, 405 hohnelii, 401-10 jacksoni, 408 leikipiensis, 402 chameleon, Chamaeleo, 405-8 Chamops segnis, 104 chaneque, Hyla, 159-68 Chanos, 187-92 chanos, 188 chaquensis, Leptodactylus, 155-8 Charactosuchus, 393 Charax, 524 Chasmistes, 470, 482-3 cujus, 470-1, 482-3 Chelydra serpentina, 373-4 chiliensis, Geochelone, 340-2 chiliensis, Sarda, 234-5 Chirolophis nugator, 508 Chiropterotriton multidentatus, 514-5 chirurgus, Acanthurus, 296 Chondrostoma, 256 cyri, 255 oxyrhynchum, 255 schmidti, 255 Chromis, 524 atrilobata, 291, 293-4, 298, 300 atripectoralis, 294 Chrosomus erythrogaster, 266, 280 oreas, 266, 280 chrysargyreum, Haemulon, 42-4 Chrysemys, 315 picta dorsalis, 373-5 picta marginata, 314-8 picta picta, 373-5

chrysocephalus, Thamnophis, 243 chrysolaema, Ameiva, 409 chuss, Urophycis, 194-206 cicerellus, Ammodytes, 524 cicerellus, Gymnammodytes, 524 Cichlasoma bimaculatum, 280 meeki, 385 cinerea, Arctosa, 65 cinerea, Hyla, 66, 75-6, 143-7 cinereus, Blanus, 324 cinereus, Plethodon, 53, 95-8, 371-2 cinereus, Telmatobius, 424 cingulatum, Ambystoma, 342-6 cingulatum bishopi, Ambystoma, 342-6 cirratum, Ginglymostoma, 384 cirrigera, Eurycea bislineata, 252 cirrosa, Sciaena, 524 ciscaucasicus, Barbus, 255 Cistudo eurypygia, 513 marnochi, 513 clamitans, Rana, 353, 373-4 clara, Ammocrypta, 241 clarkii henshawi, Salmo, 182-3 clarkii, Pantosteus, 380 clarkii, Pseudacris, 74, 131 clarkii, Salmo, 17 Clemmys guttata, 373-4 Clinostomus elongatus, 266 Clupea, 229-30 caerulea, 229-30 halec, 229 harengus, 229-30 notata, 230 sadina, 228-30 vittata, 228 clupeaformis, Coregonus, 188 Cnemidophorus sexlineatus, 516 tigris, 81 Cobitis, 255-6 aurata, 255 caspia, 255 taenia satunini, 255 cobitis, Tiaroga, 380-2 coccifer, Bufo, 108-10 coccogenis, Notropis, 266, 280 coerulea, Gila, 37-8 coitor, Johnius, 254 colburni, Seriola, 299 collapsum, Moxostoma, 472 Collichthys, 253 croceus, 253-4 lucidus, 253-4 niveatus, 254 polyactis, 254 columbianus, Catostomus, 478-80 commersonii, Catostomus, 469-71, 478-9, 484-5 congestum, Moxostoma, 470-2 contrictor, Boa, 121 constructor, Gobius cephalarges, 255 contortrix, Agkistrodon, 246contortrix austrinus, Agkistrodon, 246 contortrix mokasen, Agkistrodon, 246-7 copei, Hemipteronotus, 490 Coregonus, 397 clupeaformis, 188 coregonus, Moxostoma, 472-3 coriacea coriacea, Dermochelys, 365-6 coriiceps, Notothenia, 306 cornutus, Notropis, 266-7, 280 corporalis, Semotilus, 266

cortezianus, Aprodon, 457-8 corvinaeformis, Pomadasys, 45 Corydoras aeneus, 227 julii, 382-3 Coryphaena, 233 hippurus, 233, 235 lineata, 487, 489 novacula, 489 psittacus, 487, 489, 492-3 coryphaena, Novacula, 490 Coryphoblennius galerita, 524 Crapatalus, 448 crassa, Nansenia, 281-5 crawfordi, Telmatobius, 424 Crinia, 319, 322 parinsignifera, 319-24 riparia, 319-24 signifera, 319-24 cristatus, Amblyrhynchus, 249-50, 401 cristifera, Gila, 28-40 Cristivomer, 19, 262 crocea, Sciaena, 253 croceus, Collichthys, 253-4 crocodila, 387 crocodila, Belone, 391 crocodilus fodiator, Tylosurus, 392 crocodilus, Tylosurus, 390-2 croicensis, Scarus, 295 crucifer, Hyla, 75, 131, 353 crumenophthalmus, Selar, 291, 299 Cryptobranchus, 94, 369-70 alleganiensis, 369-70 bishopi, 369-70 crysoleucas, Notemigonus, 266-7 Ctenops, 206-13 nobilis, 206-13 pumilus, 206-7 vittatus, 206-7 Cubiceps, 501 athenae, 501-5 carinatus, 502, 504 gracilis, 502 longimanus, 504 nesiotes, 504-5 pauciradiatus, 501-2, 504-5 cujus, Chasmistes, 470-1, 482-3 culeus, Telmatobius, 424 cultratus, Xyrichthys, 487, 490 culturalia, Émydoidea, 513-4 culturalia, Terrapene, 513-4 cuneirostris, Typhlops, 107 cuvier, Galeocerdo, 384 cyanellus, Lepomis, 179, 265-81 cyanopterus, Cypselurus, 382 Cycleptus, 483, 486 elongatus, 470-1, 483 Cyclolepis stenodina, 178 cyclomaculata, Hyla, 161, 164 cyclopion, Natrix, 102 Cyclothone, 526-7, 529 cypha, Gila, 36-40 Cyprinella, 1, 3, 463-5 cyprinella, Ictiobus, 174-7, 481 Cyprinodon variegatus, 115-6 Cyprinus capoeta, 255 carpio, 174-7 fundulus, 255 cyprinus, Carpiodes, 287, 480-1 Cypselurus cyanopterus, 382

cyri, Barbus lacerta, 255

cyri, Chondrostoma, 255 cyrtopsis fulvus, Thamnophis, 243 cyrtopsis phenax, Eutaenia, 242 cyrtopsis sumichrasti, Eutaenia, 242 cyrtopsis sumichrasti, Thamnophis, 243 cyrtopsis, Thamnophis, 242–3

Dactylagnus, 448-51 dalquesti, Hyla, 161, 164 Danio malabaricus, 384-5 Dapedium, 186 darwini, Amphisbaena vermicularis, 324 Dasyatis, 524 centroura, 378 delacyi, Artedius, 507 delineatus caucasicus, Leucaspius, 255 delphinus, Pantosteus, 480 Dendrophysa dussumieri, 253 macroptera, 253 russelli, 253 denticulata, Geochelone, 335-42 depressus, Otolithus, 178 Dermochelys coriacea coriacea, 365-6 Desmognathus, 68-9, 359 monticola, 67-71 wrighti, 69 diastema, Eleutherodactylus, 425-7 Dimalacocentrus, 488 Diplodactylus elderi, 119 tessellatus, 119 Diploglossus, 104 diplotaenia, Bodianus, 291, 294-5, 300 Dipsosaurus dorsalis, 258, 434 dispilus, Halichoeres, 295 Ditropichthys storeri, 377 Dolichopteryx, 527 dolomieu, Micropterus, 266 dominicensis, Poecilia, 117 dorsalis, Chrysemys picta, 373-5 dorsalis, Dipsosaurus, 258, 434 dorsalis insularis, Limnodynastes, 509 dorsalis, Limnodynastes, 509-10 duquesnii, Moxostoma, 470, 471-3 dussumieri, Dendrophysa, 253 dussumieri, Johnius, 253 Dussumieria, 192

ebraccata, Hyla, 129 Echeneis naucrates, 365 Echinosaura, 82-9 centralis, 84-5 horrida, 82-9 horrida palmeri, 82-9 horrida panamensis, 82-9 palmeri, 84-5 panamensis, 85-6 Ectenias brunneus, 232-3 Elaphe, 394 guttata, 252 Elaps, 121 elderi, Diplodactylus, 119 elegans, Gila robusta, 36-40 elegans, Otolithus, 178 elephantopus, Geochelone, 342 Eleutherodactylus, 131, 425-7, 440 binotatus, 440 diastema, 425-7 guentheri, 440 gularis, 425-7 hoehnei, 440

octo par elonge elonge Elops, Emyd blar cult Enche Engra Eocair Epine laby mor eques, Equet

Ericyn

Erimy

oblo

lehi

suce tenu erinaci erythr erythre erythr esculer Esox, ame belo belo canc hout impe lucir Etheos

nigra nigra olms etowan Etruma eulepis Eulept Eupom flavia leuco recti Eupsof

nodo

blen

lepic

Eurycee bislin bislin bislin Eurycoe eurypyg eurypyg Eustom Eutaen cyrto

phen sumic Euthyn yaito, evermas evolans Evomus exceden

lehmanvalenciae, 425-7 octavioi, 440-1 parvus, 440 elongatus, Clinostomus, 266 elongatus, Cycleptus, 470-1, 483 Elops, 187-92 Emydoidea, 513-4 blandingii, 373-4 culturalia, 513-4 Encheliophis gracilis, 22–4 Engraulis, 524 Eocaiman, 393 Epinephelus adscensionis, 111 labriformis, 291, 293, 300 morio, 293 eques, Thamnophis, 242 Equetus acuminatus, 300 Ericymba buccata, 287 Erimyzon, 467, 470, 477-8 oblongus, 470-1, 477-8 sucetta, 477-8 tenuis, 470-1, 477-8 erinacea, Raja, 114-5 erythrogaster, Chrosomus, 266, 280 erythrogaster, Natrix, 102 erythrurum, Moxostoma, 472, 484 esculenta, Rana, 53, 122 Esox, 190, 256, 387, 530 americanus vermiculatus, 66 belone, 387 belone var. marisrubri, 391 cancila, 389 houttuyni, 390 imperialis, 391 lucius, 414 Etheostoma, 312 blennioides, 285-9, 308-9 lepidum, 309 nigrum, 8-13, 262, 308-14 nigrum eulepis, 11 olmstedi, 8-13, 262 etowanum, Hypentelium, 476–7, 484 Etrumeus, 228–30 eulepis, Etheostoma nigrum, 11 Euleptorhamphus, 389 Eumeces, 105 Eupomacentrus beebei, 250 flavilatus, 294 leucostictus, 294 rectifraenum, 291, 294, 300 Eupsophus, 421-5 nodosus, 421-5 Eurycea, 252 bislineata, 53, 251-2 bislineata cirrigera, 252 bislineata wilderae, 252 Eurycormus, 190-3 eurypygia, Cistudo, 513 eurypygia, Terrapene, 513 Eustomias, 529 Eutaenia cyrtopsis phenax, 242 cyrtopsis sumichrasti, 242 phenax, 242 sumichrasti, 242-3 Euthynnus affinis, 234-5 yaito, 234 evermanni, Salmo, 183 evolans, Prionotus, 194-206 Evomus navaho, 28-40 excedens, Haplodontosaurus, 106

exilicauda, Lavinia, 225–8 exilis exilis, Belone, 392 exilis, Strongylura, 390–2 exima, Hyla, 131 Exostinus, 104–5 lancensis, 105 rugosus, 104–5 serratus, 105

faber, Zeus, 525 facis, Isaciops, 41-4 fallax, Telescopus, 147-54 fario, Salmo, 256 fasciata, Natrix, 102 felis, Galeichthys, 505 femoralis, Hyla, 75 filamentosus, Labrisomus, 25-7 flavidus, Apodichthys, 508 flaviguttatum, Lythrulon, 298 flavilatus, Eupomacentrus, 294 flemingi, Bathophilus, 530 Flexipenis, 117 floridana, Rhineura, 324 fluviatilis, Belone, 392 fluviatilis, Perca, 255 fluviatilis, Strongylura, 392 fodiator, 387 fodiator, Belone, 388, 390-2 fodiator, Tylosurus crocodilus, 392 fontinalis, Salvelinus, 14-9 forsythia, Strongylura notata, 390 fragilis, Anguis, 517 frisii, Rutilus, 524 fronto, Negaprion, 384 fulgida, Meda, 380 fulvus, Thamnophis cyrtopsis, 243 Fundulus, 47 aureus, 47 balboae, 47 catenatus, 47 notatus, 46-53 olivaceus, 46-53 tenellus, 47 fundulus, Cyprinus, 255 fuscigula, Rana, 259

gairdnerii, Salmo, 17-8, 57, 174-7, 182-5, 188 galacturus, Notropis, 3 galapagensis, Carcharhinus, 384 galeatus, Gymnocanthus, 507 Galeichthys felis, 505 Galeocerdo cuvier, 384 galerita, Blennius, 524 galerita, Coryphoblennius, 524 Gambusia, 117, 210, 238 affinis, 255 gracilior, 118 holbrookii, 238-9, 524 melapleura, 118 wrayi, 118 Gastrophryne, 73 carolinensis, 66, 72-6 gavialoides, Belone, 388 gelatinosum, Melanostigma, 442, 458 Geochelone, 340 carbonaria, 335-42 chiliensis, 340-2 denticulata, 335-42 elephantopus, 342 pardalis, 338

Gerrhonotus, 104 liocephalus infernalis, 512 multicarinatus, 375, 512 multicarinatus nanus, 512 multicarinatus webbi, 512 paucicarinatus, 375 gibbosus, Lepomis, 227, 524 Gila, 37-40 atraria, 39 coerulea, 37-8 cristifera, 28-40 cypha, 36-40 robusta, 28-40 robusta elegans, 36-40 robusta intermedia, 39 gillii, Cetomimus, 377 Ginglymostoma cirratum, 384 glaber, Otolithus (Arius), 179 glutinosus, Plethodon, 67-71, 76, 331-5 Gobius cephalarges, 524 cephalarges constructor, 255 gymnotrachelus, 524 kessleri, 524 platyrostris, 524 ratan, 524 syrman, 524 godmani, Thamnophis scalaris, 243 goini, Hyla, 75-6 gonavensis, Amphisbaena, 438–9 gonavensis, Typhlops, 436–9 Gopherus, 338-42 agassizii, 338 gracilior, Gambusia, 118 gracilis, Chamaeleo, 405 gracilis, Cubiceps, 502 gracilis, Encheliophis, 22–4 gracilis, Photonectes, 236 graciosus, Sceloporus, 428-36 graciosus vandenburgianus, Sceloporus, 428-36 grandis, Ptychocheilus, 34 grandis, Xenosaurus, 105 granulosa, Taricha, 373-5, 415-21 granulosus, Bufo, 108-10 gratiosa, Hyla, 74-6 groenlandica, Nansenia, 282-4 grylio, Rana, 74, 76 gryllus, Acris, 58-66, 75-6 Gryposuchus, 393 guentheri, Eleutherodactylus, 440 gularis, Eleutherodactylus, 425-7 gulolineatus, Gyrinophilus palleucus, 346-52 guttata, Clemmys, 373-4 guttata, Elaphe, 252 guttulatus microstephanus, Hippocampus, 524 Gymnammodytes cicerellus, 524 Gymnapogon philippinus, 298 Gymnocanthus galeatus, 507 Gymnothorax moringa, 295 gymnotrachelus, Gobius, 524 Gyrinophilus, 347 palleucus, 346-52 palleucus gulolineatus, 346-52 palleucus necturoides, 346-51 porphyriticus, 351 Haemulon, 41-5, 211 aurolineatum, 43-4 boschmae, 41-5 chrysargyreum, 42-4 plumieri, 43 sciurus, 299

sexfasciatum, 291, 299-301 striatum, 41-5 Haideotriton wallacei, 350 haitiensis, Typhlops, 436-9 Haldea, 103 halec, Clupea, 229 Halichoeres bivittatus, 295 dispilus, 295 nicholsi, 295 halis, Taenioconger, 499 halli, Telmatobius, 424 halophilus, Thamnophis, 243 Halosauropsis, 192 hamiltoni, Thoburnia, 474-5 hannah, Naja, 121 hansoni, Trematomus, 302, 306 Haplodontosaurus excedens, 106 Harengula thrissina, 293 harengus, Clupea, 229 harringtoni, Artedius, 507 harrisi, Trichopsis, 207-12 hartwellensis, Otolithus, 178 hauthali, Telmatobius, 424 heckeli, Rutilus rutilus, 524 Heleophryne, 259 rosei, 324 Helmintholepis vermiculata, 178 Hemichronis, 385 Hemilampronites hesperius, 178 Hemipteronotus, 487-501 blanchardi, 488-90, 496-7 copei, 490 martinicensis, 488-90, 493-4, 496-500 novacula, 487-94, 496 sanctaehelenae, 487–90, 496, 500 splendens, 489–90, 492, 494–6, 499 uniocellatus, 491, 493, 496 ventralis, 495-6 Hemiramphus, 388 Hemitrypus, 94 Heniochus nigrirostris, 291, 295-6, 299, 300 henshawi, Salmo clarkii, 182-3 Hepsetus, 186 hermanni, Testudo, 339 hesperius, Hemilampronites, 178 Heterodon, 104 nasicus, 104 platyrhinos, 104 simus, 104 heterozonata, Amphisbaena, 324–5 hians, Ablennes, 391–2 hians, Belone, 389–91 himantophorus, Callionymus, 236 Hiodon, 187-92 tergisus, 188 Hippocampus guttulatus microstephanus, 524 hippocampus microcoronatus, 524 hippos caninus, Caranx, 299 hippurus, Goryphaena, 233, 235 hoehnei, Eleutherodactylus, 440 hohnelii, Chamaeleo, 401–10 Holacanthus passer, 296 holbrookii, Gambusia, 238-9, 524 holbrookii, Scaphiopus, 73-6 Holocentrus, 297 ascensionis, 297 suborbitalis, 291, 297, 300 Homopus, 340 Hoplodactylus pacificus, 248-9 horrida, Echinosaura, 82-9

horrid horrid houttr houtte hubbs hubrie Hybot bigu lepte micr Hyla, ande avive bade bisti bron calif chan ciner cruci cvclo dalg ebrae exim femo goini grati micre phlel probe regill squir taeni

Hypero Hyporh leichthy Ictaluru natali nebul Ictiobus bubal cyprin dahoen Idrissia ignavus, Iguana i imperial imperial indicus, infernali infirmus Iniistius innocens inornatu insignis. insularis

intermed

intermed

interrup

interrup

Isaciella,

Isaciops,

isodon, A

facis, 4

versic

nigric

roano

Hypent etowa

ИΙ

horrida palmeri, Echinosaura, 82-9 horrida panamensis, Echinosaura, 82-9 houttuyni, Belone, 390-1 houttuyni, Esox, 390 hubbsi, Moxostoma, 474 hubrichti, Phaeognathus, 67-71 Hybopsis, 266-7 biguttata, 266-7 leptocephala, 266 micropogon, 266-7 Hyla, 74-6, 374 andersonii, 74 avivoca, 66, 74–5 baderi, 72–6 bistincta, 168 bromeliana, 160, 164 californiae, 81, 129-41 chaneque, 159-68 cinerea, 66, 75-6, 143-7 crucifer, 75, 131, 353 cyclomaculata, 161, 164 dalquesti, 161, 164 ebraccata, 129 exima, 131 femoralis, 75-6 goini, 75-6 gratiosa, 74-6 microcephala, 129 phlebodes, 129 proboscidea, 160-4 regilla, 129-42 squirella, 74-5 taeniopus, 159-68 versicolor, 74-5, 143-7, 373-4 Hypentelium, 467, 470, 476-7 etowanum, 476-7, 484 nigricans, 469-71, 476-7, 484-5 roanokense, 476-7, 484 Hyperolius, 258 Hyporhamphus, 388

Icichthys lockingtoni, 233 lctalurus melas, 179 natalis, 204 nebulosus, 204 letiobus, 467, 470, 481-2, 486 bubalus, 470-1, 481 cyprinella, 174-7, 481 idahoensis, Plethodon vandykei, 244 Idrissia carpathica, 400 ignavus, Telmatobius, 424 lguana iguana, 515–7 imperialis, Belone, 388–91 imperialis, Escx, 391 indicus, Bathophilus, 530 infernalis, Gerrhonotus liocephalus, 512 infirmus, Xyrichthys, 487, 497 Iniistius, 487-8 innocens, Amphisbaena, 438 inornatus, Microlepidotus, 291, 298, 300 insignis, Catostomus, 470-1, 478-80 insularis, Limnodynastes dorsalis, 509 intermedia, Gila robusta, 39 intermedius, Telmatobius, 424 interruptus, Anisotremus, 291, 298, 300 interruptus, Archoplites, 224-8 Isaciella, 45 Isaciops, 45 facis, 41-4 isodon, Aprionodon, 378

00

ıs, 524

jacksoni, Chamaeleo, 408
jaekeli, Otolithus, 179
jamaicensis, Typhlops, 438
jelskii, Telmatobius, 424
jenkinsi, Labrisomus, 27
jepseni, Peltosaurus, 106
Jepsibaena minor, 106
jessiae, Xyrichthys, 490, 493
johni, Rana, 517
Johnius, 253-4
amblycephalus, 253
aneus, 253
coitor, 254
dussumieri, 253
jordani, Pantosteus, 470-1, 480, 484
jordani, Plethodon, 252
jordani, Scarops, 295
julii, Corydoras, 382-3

Katsuwonus pelamis, 234–5 kessleri, Gobius, 524 kingi, Anopsibaena, 324 kisutch, Oncorhynchus, 14–5

labrax, Roccus, 525 labriformis, Epinephelus, 291, 293, 300 Labrisomus, 25-6 filamentosus, 25-7 jenkinsi, 27 multiporosus, 27 nuchipinnis, 26 philippii, 27 pomaspilus, 25-7 socorroensis, 27 wigginsi, 26 xanti, 27 Labroides, 295 phthirophagus, 295 Labrus viridis, 525 viridis prasostictes, 525 lacera, Lagochila, 470-1, 476 Lacerta agilis, 393 vivipara, 517 lacerta cyri, Barbus, 255 lacertina, Siren, 72, 76 lachneri, Moxostoma, 470-3 laevis, Phoxinus, 195 Lagochila, 470, 476 lacera, 470–1, 476 lancensis, Exostinus, 105 Larimus, 254 lascaris, Solea, 525 laterale, Ambystoma, 352 lateralis, Artedius, 507 lateralis, Zygonectes, 47 Latimeria, 186 latipes, Oryzias, 379 latipinnis, Catostomus, 40 latirostris, Caiman, 119 latirostris, Telmatobius, 424 laurae, Parexoglossum, 266-7 Lavinia exilicauda, 225-8 Lebistes, 117 lecontei, Rhinocheilus, 366 lecontei tessellatus, Rhinocheilus, 366 lehmanvalenciae, Eleutherodactylus, 425-7 leikipiensis, Chamaeleo, 402 lenkoranensis, Noemacheilus angorae, 255 Lepidotes, 186 lepidum, Etheostoma, 309

Lepisosteus, 186-90 platostomus, 241 Lepomis, 226 cyanellus, 179, 265-81 gibbosus, 227, 524 macrochirus, 66, 271, 280 megalotis, 227 punctatus, 227 leptocephala, Hybopsis, 266 Leptodactylus, 155-6, 425 bolivianus, 155 chaquensis, 155-8 ocellatus, 155-8 pachypus, 155 pentadactylus, 155-8 Leptolepis, 190 normandica, 188 Leptostomias longibarba, 530 Leptotyphlops pyrites, 439 Leucaspius delineatus caucasicus, 255 Leuciscus, 256 rutilus, 266 leucostictus, Eupomacentrus, 294 Leuroglossus, 529 lewini, Sphyrna, 384 limbatus, Carcharhinus, 384 Limia, 117 Limnodynastes, 509-10 dorsalis, 509-10 dorsalis insularis, 509 peroni, 509-10 tasmaniensis, 322, 509-10 linearis, Urosaurus ornatus, 428-36 lineata, Coryphaena, 487, 489 lineatum, Tropidoclonion, 102 lineatus, Xyrichthys, 497, 499 liocephalus infernalis, Gerrhonotus, 512 Liophis, 511-2 miliaris, 511-2 Lisserpeton, 90-5 bairdi, 90-5 lockingtoni, Icichthys, 233 longibarba, Leptostomias, 530 longimanus, Cubiceps, 504 longurio, Rhizoprionodon, 384 Lucania parva, 116 lucasanum, Thalassoma, 291, 293, 294, 296, 300 lucida, Sciaena, 253 lucidus, Collichthys, 253-4 Lucioperca, 255 lucioperca, 255 lucioperca, Stizostedion, 255-6 lucius, Esox, 414 lucius, Ptychocheilus, 28-40 lumbricalis, Typhlops, 436-9 lunulatus, Mustelus, 384 Lutjanus argentiventris, 291, 297, 300 vaigiensis, 298 lutrensis, Notropis, 7, 462-7 lutrensis suavis, Notropis, 463 Lycodes brevipes, 457 Lycodopsis pacifica, 457-8 Lythrulon flaviguttatum, 298

macrocephalus, Mylio, 484 macrocheilus, Catostomus, 478-9 macrochirus, Lepomis, 66, 271, 280 macrolepidotum, Moxostoma, 472 macrolepidotus, Neoscopelus, 236 macrolepidotus, Pogonichthys, 38 macrolepis, Nansenia, 282-4 macroptera, Dendrophysa, 253 maculatum, Ambystoma, 53-8, 352-62, 373-4 maculatus, Apogon, 298 maculicauda, Orthostoechus, 298 maeotica, Alosa, 525 maeoticus, Scophthalmus, 525 magister, Sceloporus, 81 major, Terrapene carolina, 373-4 malabaricus, Danio, 384-5 Malaclemys terrapin pileata, 373-4 Malacocentrus, 488 malma, Salvelinus, 14-9 Mandelichthys, 501-2, 504 marcianus, Thamnophis, 102-4 marginata, Chrysemys picta, 314-8 marginata, Rissola, 22-4 marina, Strongylura, 390-1 marinum, Stizostedion, 524 marisrubri, Belone, 388-91 marisrubri, Esox belone var., 391 marmorata, Notothenia rossii, 306 marmoratus, Proterorhinus, 255 marmoratus, Telmatobius, 424 marnochi, Cistudo, 513 marnochi, Terrapene, 513 martinicensis, Hemipteronotus, 488-90, 493-4, martinicensis, Xyrichthys, 493, 497, 499 mascotae, Moxostoma, 470-2 Maynea brunnea, 457 microphthalmus, 442 mearnsi, Uta, 78-81 Meda fulgida, 380 media, Sphyrna, 384 meeki, Brycon, 187 meeki, Cichlasoma, 385 Megalops, 192 megalotis, Lepomis, 227 Megapharynx, 474 melanops, Minytrema, 470-1, 478-9 Melanostigma, 442, 458 atlanticum, 442 gelatinosum, 442, 458 microphthalmus, 442 pammelas, 442-62 Melanostomias, 529 melanota, 387 melanota, Belone, 388-91 melapleura, Gambusia, 118 melas, Ictalurus, 179 Menidia, 379 mertensi, Varanus, 119 metallicus, Bathophilus, 530 mexicanus, Astyanax, 215, 222 Microbatrachella, 259 microcephala, Hyla, 129 microcoronatus, Hippocampus hippocampus, 524 Microhyla, 73 Microlepidotus inornatus, 291, 298, 300 microlepis, Acanthalburnus, 255 microphthalmus, Maynea, 442 microphthalmus, Melanostigma, 442 micropogon, Hybopsis, 266-Micropterus dolomieu, 266 salmoides, 66, 227, 266-7 Microsaura pumila, 402-3

microstephanus, Hippocampus guttulatus, 524

miichthioides, Nibea, 253

Miichthys miiuy, 253

moka Molli molli mont mont moor moor mord morin morio Moro Moxo ani. ario aus bre cert coll con core dug eryt hub lach mac mas pap boe robi rup (Th vale Mugil multit multic multic multic multid multig multip mursa,

miiu

milia

mino

mino

Min

missi

moch

moch

mode

moka

me

Naja h namaye Nansen ardes atlan cand crasse

groer

Mustel

Mycter

Mylio

myrias

Myrip

Myxoc

occio

asiat

lunu

miiuy, Miichthys, 253 miliaris, Liophis, 511-2 minor, Jepsibaena, 106 minor, Sternothaerus, 367-8 Minytrema, 470, 478 melanops, 470-1, 478-9 mississippiensis, Alligator, 119 mochon, Atherina, 255 mochon caspia, Atherina, 255 modestus, Xyrichthys, 487, 497, 499 mokarran, Sphyrna, 384 mokasen, Agkistrodon contortrix, 246-7 Mollienesia, 117 mollis, Aphyonus, 236 montanus, Telmatobius, 421-5 monticola, Desmognathus, 67-71 moorei, Anchylorana, 517 moorei, Rana, 517 mordax, Osmerus, 392 moringa, Gymnothorax, 295 morio, Epinephelus, 293 Morone, 525 Moxostoma, 467-85 anisurum, 472-3 ariommum, 467, 470-2, 476, 480 austrinum, 470-2 breviceps, 472-3 cervinum, 470-2, 475, 480, 484 collapsum, 472 congestum, 470-2 coregonus, 472-3 duquesnii, 470-3 erythrurum, 472, 484 hubbsi, 474 lachneri, 470-3 macrolepidotum, 472 mascotae, 470-2 papillosum, 470-4, 476 poecilurum, 472-4 robustum, 470-3 rupiscartes, 470-2 (Thoburnia) atripinne, 474 valenciennesi, 470-1, 474 Mugil auratus, 255 multibarbata, Brotula, 22-4 multicarinatus, Gerrhonotus, 375, 512 multicarinatus nanus, Gerrhonotus, 512 multicarinatus webbi, Gerrhonotus, 512 multidentatus, Chiropterotriton, 514-5 multiguttatus, Alphestes, 297 multiporosus, Labrisomus, 27 mursa, Barbus, 255 Mustelus californicus, 384 lunulatus, 384 Mycteroperca rosacea, 291, 293, 299, 300, 301 Mylio macrocephalus, 484 myriaster, Porichthys, 239 Myripristis, 297, 400 occidentalis, 291, 297, 300 Myxocyprinus, 482-3 asiaticus, 470

Naja hannah, 121 namaycush, Salvelinus, 14-9 Nansenia, 281-5 ardesiaca, 282-4 atlantica, 282-4 candida, 282-5 crassa, 281-5 groenlandica, 282-4

macrolepis, 282-4 oblita, 282-4 schmitti, 282-4 nanus, Gerrhonotus multicarinatus, 512 nasicus, Heterodon, 104 nasuta, Solea, 525 natalis, Ictalurus, 204 Natalobatrachus, 259 Natrix, 102, 121 cyclopion, 102 erythrogaster, 102 fasciata, 102 natrix, 102, 414 piscator, 410-5 rhombifera, 102 sipedon, 102 taxispilota, 102 tessellata, 102 viperina, 414 natrix, Natrix, 102, 414 natrix, Tropidonotus, 149 naucrates, Echeneis, 365 Nautichthys oculofasciatus, 507 navaho, Evomus, 28-40 nebulosus, Ictalurus, 204 necturoides, Gyrinophilus palleucus, 346-51 Necturus, 73, 76, 94 Negaprion fronto, 384 neivensis, Caiman, 393 Nematistius pectoralis, 299 Neoheterandria umbratilis, 118 Neoscopelus macrolepidotus, 236 nerka, Oncorhynchus, 15 nesiotes, Cubiceps, 504-5 Nettosuchus, 393 Neusticurus, 82 Nibea, 253-4 miichthioides, 253 nicholsi, Halichoeres, 295 niger, Telmatobius, 424 nigeriense, Branchiostoma, 506 nigricans, Bathylaco, 528, 530 nigricans, Hypentelium, 469-71, 476-7, 484-5 nigripinnis, Sarcocheilichtys, 462 nigrirostris, Heniochus, 291, 295-6, 299, 300 nigrita, Pseudacris, 74, 131 nigrolineatus caspius, Syngnathus, 255 nigrolineatus, Syngnathus, 255 nigrum, Etheostoma, 8-13, 262, 308-14 nigrum eulepis, Etheostoma, 11 niveatus, Collichthys, 254 nobilis, Ctenops, 206-13 nodosus, Eupsophus, 421-5 Noemacheilus, 255-6 angorae, 255 angorae bureschi, 255 angorae lenkoranensis, 255 normandica, Leptolepis, 188 notata, Clupea, 230 notata forsythia, Strongylura, 390 notata, Strongylura, 390-1 notatus, Fundulus, 46-53 notatus, Pimephales, 463 notatus, Porichthys, 239-41 notatus, Semotilus, 46-7 notatus, Zygonectes, 47 Notemigonus crysoleucas, 266-7 Notophthalmus viridescens, 57, 72-6, 252, 353 Notothenia, 306 coriiceps, 306

mpus, 524

93-4.

tus, 524

nudifrons, 306 rossii, 306 rossii marmorata, 306 Notropis, 1, 117, 465 analostanus, 1, 3, 7 ardens, 266, 280 bifrenatus, 455 cerasinus, 266 coccogenis, 266, 280 cornutus, 266-7, 280 galacturus, 3 lutrensis, 7, 462-7 lutrensis suavis, 463 ornatus, 465 rubellus, 266-7, 280 rubricroceus, 266, 280 spilopterus, 1-8 umbratilis, 265-81 venustus, 7 whipplii, 1–8 Novacula, 487–8 coryphaena, 490 sanctaehelenae, 500 novacula, Coryphaena, 489 novacula, Hemipteronotus, 487-94, 496 Novaculichthys, 487-8 blanchardi, 496 rosipes, 496 woodi, 488 Novaculops, 487-8 nuchipinnis, Labrisomus, 26 nudifrons, Notothenia, 306 nugator, Chirolophis, 508 nurse, Alestes, 187

oblita, Nansenia, 282-4 oblongus, Erimyzon, 470-1, 477-8 occidentalis, Catostomus, 478 occidentalis, Myripristis, 291, 297, 300 occidentalis, Sceloporus, 100, 435 ocellata, Rana, 155 ocellatus, Leptodactylus, 155-8 octavioi, Eleutherodactylus, 440-1 oculofasciatus, Nautichthys, 507 ocyurus, Centropristes, 508 odoratus, Sternothaerus, 373-5 Oligodontosaurus, 106 wyomingensis, 106 olivacea, Poecilia, 47 olivaceus, Fundulus, 46-53 olivaceus, Zygonectes, 47 olmstedi, Etheostoma, 8-13, 262 omiscomaycus, Percopsis, 232 Oncorhynchus, 14-8 kisutch, 14-5 nerka, 15 Ophidion, 524 rochei, 524 Opisthoproctus, 527 orcutti, Sceloporus, 81 oreas, Chrosomus, 266, 280 oregonensis, Ptychocheilus, 33-40, 384-5 orientalis, Sarda, 235 ornata, Pseudacris, 74-6, 131, 139-40 ornatus linearis, Urosaurus, 428-36 ornatus, Notropis, 465 ornatus, Urosaurus, 428-36 Orthostoechus maculicauda, 298 Oryzias latipes, 379 Osmerus mordax, 392

Osteoglossum, 192
Otolithiodes, 254
Otolithus, 178–9
depressus, 178
elegans, 178
glaber, 179
hartwellensis, 178
jaekeli, 179
rotundus, 178
ouachitae, Plethodon, 331–5
Oxyjulis californica, 295
oxyrhyncha, Percina, 289
oxyrhynchum, Chondrostoma, 255

pachypus, Leptodactylus, 155 pacifica, 387 pacifica, Belone, 390, 392 pacifica, Lycodopsis, 457–8 pacificus, Hoplodactylus, 248–9 pacificus, Tylosurus acus, 392 palaestinae, Vipera, 147-53 palaestinae, Vipera xanthina, 260 palleucus gulolineatus, Gyrinophilus, 346-52 palleucus, Gyrinophilus, 346-52 palleucus necturoides, Gyrinophilus, 346-51 palmeri, Echinosaura, 84-5 palmeri, Echinosaura horrida, 82-9 palustris, Rana, 73 pammelas, Melanostigma, 442-62 panamensis, Echinosaura, 85–6 panamensis, Echinosaura horrida, 82–9 panamensis, Petrometopon, 297 Pantosteus, 467, 470, 479-80 clarkii, 380 delphinus, 480 jordani, 470-1, 480, 484 papillosum, Moxostoma, 470-4, 476 Paragerrhonotus, 105 ricardensis, 105 Parasaniwa, 106 pardalis, Geochelone, 338 Pareques viola, 291, 300 Parexoglossum laurae, 266–7 parinsignifera, Crinia, 319-24 parva, Lucania, 116 parva, Pseudorasbora, 462 parvus, Eleutherodactylus, 440 passer, Holacanthus, 296 paucicarinatus, Gerrhonotus, 375 pauciradiatus, Cubiceps, 501-2, 504-5 pectoralis, Nematistius, 299 pelamis, Katsuwonus, 234-5 Peltosaurus, 106 jepseni, 106 Pennahia, 253–4 amoyensis, 254 bleekeri, 254 pentadactylus, Leptodactylus, 155-8 Perca fluviatilis, 255 Percarina, 524 Percina oxyrhyncha, 289 Percopsis omiscomaycus, 232 peroni, Limnodynastes, 509-10 perrico, Scarops, 294, 295 persimilis, 387 persimilis, Platybelone, 388 peruvianus, Telmatobius, 424 Petalichthys, 388-91 capensis, 388 Petrometopon panamensis, 297

Phae hu phaee phen phene philip philip bhleb phleg Phoxi Phrac bhthi: picta picta : picta pilcha bilcha pileate Pimel pule Pimep pipien piraya biscate Pituop platosi Platyb arga pers plat platyge

platyro platyu platyur platyur Plecost Plethoe cadd ciner gluti iorda ouaci richn vand wehr vonal Pleurog plumier Poecilia domi olivac sphen trider versic vivipo poecilur Pogonic

macro

sobnie

polylepi

Pomada.

pomaspi

Pomatos

pontica.

ponticus

corvin

polyacti Polyipn

Porichthys, 240 Phaeognathus, 69-70 hubrichti, 67-71 myriaster, 239 phaeota, Smilisca, 168 notatus, 239-41 phenax, Eutaenia, 242 phenax, Thamnophis, 243-4 porosissimus, 240 porosissimus, Porichthys, 240 philippii, Labrisomus, 27 philippinus, Gymnapogon, 298 phlebodes, Hyla, 129 porosus, Carcharhinus, 384 porphyriticus, Gyrinophilus, 351 Potamorrhaphis, 389-91 phlegon, Syngnathus, 525 prasostictes, Labrus viridis, 525 Photonectes gracilis, 236 prelucius, Ptychocheilus, 28-40 Phoxinus laevis, 195 Prionotus carolinus, 194-206 evolans, 194-206 Phractolaemus, 187 Prionurus punctatus, 291, 296, 300, 301 phthirophagus, Labroides, 295 picta dorsalis, Chrysemys, 373-5 picta marginata, Chrysemys, 314-8 Pristipoma, 45 boschmae, 41-5 picta picta, Chrysemys, 373-5 pilchardus, Sardina, 525 proboscidea, Hyla, 160-4 Proterorhinus marmoratus, 255 pilchardus sardina, Sardina, 525 Proteus anguinus, 350 pileata, Malaclemys terrapin, 373-4 Provaranosaurus, 106 Pimelometopon, 295 acutus, 105 pulchrum, 295 proximus, Thamnophis, 102-3 Pimephales notatus, 463 pipiens, Rana, 73-6, 122, 143-7, 353, 415 Psammobates, 340 Pseudacris, 74-6, 129 piraya, Pygocentrus, 110 piscator, Natrix, 410-5 brachyphona, 74, 131 brimleyi, 74 clarkii, 74, 131 Pituophis catenifer, 244-5 platostomus, Lepisosteus, 241 Platybelone, 388–92 nigrita, 74, 131 ornata, 74-6, 131, 139-40 streckeri, 74-5, 131, 139 argalus, 388-92 triseriata, 74-5, 131, 141 persimilis, 388 Pseudobranchus, 72 platyura, 388 platygaster, Pungitius, 524 robustus, 72-6 striatus, 76 platyrhinos, Heterodon, 104 striatus axanthus, 72 platyrostris, Gobius, 524 Pseudophryne bibroni, 321 platyura, 387 Pseudorasbora parva, 462 Pseudosciaena, 253 platyura, Belone, 388-91 platyura, Platybelone, 388 amblyceps, 253 Plecostomus, 190 amoyensis, 253 Plethodon, 331 Pseudotylosurus, 389–91 brasiliensis, 389 caddoensis, 331-5 cinereus, 53, 95–8, 371–2 glutinosus, 67–71, 76, 331–5 psittacus, Coryphaena, 487, 489, 492-3 psittacus, Xyrichthys, 490 Pterothrissus, 191–2 jordani, 252 ouachitae, 331-5 richmondi, 96, 371-2 Ptychocheilus, 33-40 grandis, 34 lucius, 28-40 vandykei idahoensis, 244 wehrlei, 331 oregonensis, 33-40, 384-5 yonahlossee, 331 prelucius, 28-40 umpquae, 33 Pleurogramma antarcticum, 306 plumieri, Haemulon, 43 pulchellus, Zygonectes, 47 Poecilia, 117 pulchrum, Pimelometopon, 295 dominicensis, 117 pumila, Microsaura, 402-3 olivacea, 47 sphenops, 214-23 tridens, 117 pumilus, Ctenops, 206-7 pumilus, Trichopsis, 207-10 punctata, Amphisbaena, 324 versicolor, 117 punctatus, Bufo, 81 vivipara, 117 punctatus, Lepomis, 227 oecilurum, Moxostoma, 472-4 punctatus, Prionurus, 291, 296, 300, 301 Pogonichthys, 37-8 punctatus, Sphenodon, 393-4 macrolepidotus, 38 polyactis, Collichthys, 254 punctulata, Belone, 388 pungio, Zeus, 525 Polyipnus polli, 530 sobnioviensis, 400 Pungitius platygaster, 524 olylepis, Balistes, 291, 296-7, 301 Puntazzo, 524 Pomadasys, 45 Puntius, 255 corvinaeformis, 45 pusillus, Typhlops, 436-9 putnami, Terrapene, 513 pomaspilus, Labrisomus, 25-7 Pomatoschistus caucasicus, 255 Pygocentrus piraya, 110 pontica, Alosa, 525 pyrites, Leptotyphlops, 439 ponticus, Scophthalmus, 525 Pyxis, 340

russelli, Sciaena, 253 radix, Thamnophis, 102-4 Rutilus, 255-6 Raja erinacea, 114-5 atropatenus, 255 Rana, 73, 259 frisii, 524 angolensis, 259 rutilus heckeli, 524 catesbeiana, 73-6, 122, 373-4 clamitans, 353, 373-4 sojuhbulagi, 255 Rypticus, 297 esculenta, 53, 122 bicolor, 291, 297, 300 fuscigula, 259 grylio, 74, 76 johni, 517 Sabanejewia, 255-6 moorei, 517 sadina, Clupea, 228-30 salar, Salmo, 15-7 Salmo, 14-7, 190 ocellata, 155 palustris, 73 pipiens, 73–6, 122, 143–7, 353, 415 sylvatica, 73, 353 clarkii, 17 clarkii henshawi, 182-3 temporaria, 53, 122 evermanni, 183 raphidoma, 387 raphidoma, Tylosurus, 390-1 fario, 256 gairdnerii, 17-8, 57, 174-7, 182-5, 188 ratan, Gobius, 524 salar, 15-7 rathbuni, Typhlomolge, 350 trutta, 17, 256 rectifraenum, Eupomacentrus, 291, 294, 300 salmoides, Micropterus, 66, 227, 266-7 regilla, Hyla, 129-42 Salvelinus, 14-9, 262 alpinus, 14-9 regius, Argyrosomus, 253 regularis, Bufo, 258 fontinalis, 14-9 Relictogobius, 525 malma, 14-9 retrosella, Apogon, 291, 298, 300 Rhineura, 72, 328–30 namaycush, 14-9 sanctaehelenae, Hemipteronotus, 487-90, 496, 500 floridana, 324 sanctaehelenae, Novacula, 500 sandvicensis, Acanthurus triostegus, 296 Rhinichthys, 382 atratulus atratulus, 287 sapidissima, Alosa, 8 Rhinocheilus lecontei, 366 Sarcocheilichthys nigripinnis, 462 lecontei tessellatus, 366 Sarda, 234 Rhizoprionodon longurio, 384 chiliensis, 234-5 rhombeatus, Causus, 148 orientalis, 235 rhombifera, Natrix, 102 sardina, 230 Rhonciscus, 45 rhothoeca, Thoburnia, 470–1, 474–5, 480 Sardina pilchardus, 525 pilchardus sardina, 525 ricardensis, Paragerrhonotus, 105 richmondi, Plethodon, 96, 371-2 sardina, Sardina pilchardus, 525 Sardinella, 229–30 riparia, Crinia, 319-24 anchovia, 229 Rissola marginata, 22-4 aurita, 229-30 rivularis, Abbottina, 462 rivularis, Taricha, 415–21 satunini, Cobitis taenia, 255 sauritus, Thamnophis, 102–3 saxatilis, Abudefduf, 294 roanokense, Hypentelium, 476-7, 484 robusta elegans, Gila, 36-40 robusta, Gila, 28-40 scalaris godmani, Thamnophis, 243 Scapherpeton, 93-4 tectum, 90, 94 robusta intermedia, Gila, 39 robustum, Moxostoma, 470-3 Scaphiopus, 129, 147 robustus, Pseudobranchus, 72-6 holbrookii, 73–6 scapularis, Belone, 392 Roccus, 525 labrax, 525 scapularis, Strongylura, 392 Scarops jordani, 295 rochei, Auxis, 111-4, 235 rochei, Ophidion, 524 perrico, 294-5 Rondeletia bicolor, 377 Scartomyzon, 470-6, 480, 484-5 rosacea, Mycteroperca, 291, 293, 299, 300, 301 Scarus californiensis, 291, 295, 300 rosei, Heleophryne, 324 croicensis, 295 rosipes, Novaculichthys, 496 rosipes, Xyrichthys, 487, 490, 496 Sceloporus graciosus, 428-36 graciosus vandenburgianus, 428-36 rossii marmorata, Notothenia, 306 magister, 81 rossii, Notothenia, 306 occidentalis, 100, 435 rotundus, Otolithus, 178 orcutti, 81 rubellus, Notropis, 266-7, 280 virgatus, 428-36 schmidti, Chondrostoma, 255 rubescens, Syngnathus, 524 rubricroceus, Notropis, 266, 280 schmidti, Syngnathus, 525 schmitti, Nansenia, 282-4 rufa, Barbourisia, 376-7 Sciaena, 253, 524 rugosus, Exostinus, 104-5 aquila, 253 Runula, 296 azalea, 291, 296, 300 cirrosa, 524 crocea, 253 rupiscartes, Moxostoma, 470-2 lucida, 253 russelli, Dendrophysa, 253

scin sciu scol Scor Scor Scor scor scor sebe segn Sela sem

Sem

Sem

ri

u

at co no Serie co serpe serra sexfa sexli Shin sierre signi simo simu Sinar siped

Siren

sirtal

Smili

ba

ph

Snyd

sobni socor sojuh solda Solea nas Spea, Spha Spha spher spher sphy acu Sphyr

med mod tiba zygo spilop spinif splend 4 splend

Squal

squire stansb stansb stejne stellat stenoo Sterno

russelli, 253 odoratus, 373-5 umbra, 524 Stizostedion, 255 lucioperca, 255, 266 scincoides, Tiliqua, 169-73 marinum, 524 sciurus, Haemulon, 299 stolzmanni, Belone, 390 scolopacina, Belone, 389 stolzmanni, Belone exilis, 392 Scomber, 257, 443 Stomatosuchus, 393 Scomberesox, 388 storeri, Ditropichthys, 377 Scophthalmus maeoticus, 525 ponticus, 525 Storeria, 103 Scorpaena, 524 scorteccii, Typhlops, 107 streckeri, Pseudacris, 74-5, 131, 139 striatum, Haemulon, 41-5 Sebecus, 393 striatus axanthus, Pseudobranchus, 72 segnis, Chamops, 104 Selar crumenophthalmus, 291, 299 striatus, Pseudobranchus, 76 Strongylura, 388-91 Semachlorella, 488 caudimaculata, 388 exilis, 390-2 semifasciata, Triakis, 384 fluviatilis, 392 Semionotus, 187 Semotilus, 267 marina, 390-1 atromaculatus, 266, 468 notata, 390-1 notata forsythia, 390 corporalis, 266 notatus, 46-7 scapularis, 392 Seriola, 235 urvillii, 390 colburni, 299 strongylura, Belone, 388 serpentina, Chelydra, 373-4 Stylephorus, 528 Suareus, 524 suavis, Notropis lutrensis, 463 serratus, Exostinus, 105 sexfasciatum, Haemulon, 291, 299, 300, 301 suborbitalis, Holocentrus, 291, 297, 300 sexlineatus, Cnemidophorus, 516 sucetta, Erimyzon, 477-8 Shinisaurus, 105 sulcatus, Typhlops, 436-9 sierrae, Taricha torosa, 415-21 sumichrasti, Eutaenia, 242–3 sumichrasti, Thamnophis, 242–4 surinamensis, Anisotremus, 45 signifera, Crinia, 319-24 simonsi, Telmatobius, 424 simus, Heterodon, 104 Sinamia, 187 swani, Bothragonus, 262, 507 sipedon, Natrix, 102 Siren lacertina, 72, 76 sylvatica, Rana, 73, 353 Synbranchus, 263 sirtalis, Thamnophis, 102-3, 147-8, 151-3, 414 syncheilus, Catostomus, 479 Syngnathus nigrolineatus, 255 Smilisca, 168 baudini, 168 nigrolineatus caspius, 255 phaeota, 168 phlegon, 525 Snyderidia canina, 20-4 rubescens, 524 schmidti, 525 sobnioviensis, Polyipnus, 400 socorroensis, Labrisomus, 27 variegatus, 524 syntherus, Typhlops, 436–9 syrman, Gobius, 524 sojuhbulagi, Rutilus, 255 soldado, Wak, 254 Solea lascaris, 525 nasuta, 525 taenia satunini, Cobitis, 255 Spea, 147 taeniata, Belone, 389 Sphaerichthys, 212 Taenioconger halis, 499 Sphenodon punctatus, 393-4 taeniopus, Hyla, 159-68 sphenops, Poecilia, 214-23 Taricha, 227, 415-21 granulosa, 373-5, 415-21 Sphyraena, 192 acus, 391 rivularis, 415-21 Sphyrna lewini, 384 torosa, 415, 420-1 media, 384 torosa sierrae, 415-21 mokarran, 384 Tarpon, 192 tiburo, 384 tasmaniensis, Limnodynastes, 322, 509-10 zygaena, 384 taxispilota, Natrix, 102 spilopterus, Notropis, 1-8 tectum, Scapherpeton, 90, 94 spinifer asper, Trionyx, 373-4 Telescopus, 147, 154 splendens, Hemipteronotus, 489-90, 492, 494-6, fallax, 147-54 Telmatobius, 421-5 splendens, Xyrichthys, 487, 494, 496 albiventris, 424 Squalus acanthias, 378 atacamensis, 424 squirella, Hyla, 74-5 brevipes, 424 stansburiana stejnegeri, Uta, 79, 99-101 cinereus, 424 stansburiana, Uta, 99-101 crawfordi, 424 stejnegeri, Uta stansburiana, 79, 99-101 culeus, 424 halli, 424 stellatus, Benthophilus, 524 stenodina, Cyclolepis, 178 hauthali, 424 Sternothaerus minor, 367-8 ignavus, 424

96, 500

intermedius, 424 jelskii, 424 latirostris, 424 marmoratus, 424 montanus, 421-5 niger, 424 peruvianus, 424 simonsi, 424 temporaria, Rana, 53, 122 tenellus, Fundulus, 47 tenuis, Erimyzon, 470-1, 477-8 teres, Alosa, 228-30 tergisus, Hiodon, 188 Terrapene, 72, 513-4 carolina, 513 carolina major, 373-4 carolina triunguis, 513 culturalia, 513-4 eurypygia, 513 marnochi, 513 putnami, 513 whitneyi, 513 terrapin pileata, Malaclemys, 373-4 terrestris, Bufo, 74, 76 tessellata, Natrix, 102 tessellatus, Diplodactylus, 119 tessellatus, Rhinocheilus lecontei, 366 Testudo hermanni, 339 Tetragonolepis, 186-8 texanum, Ambystoma, 352 texanus, Xyrauchen, 470-1, 482 Thalassoma lucasanum, 291, 293, 294, 296, 300 Thamnophis, 102, 104, 147, 154, 242-3, 414 chrysocephalus, 243 cyrtopsis, 242-3 cyrtopsis fulvus, 243 eques, 242 halophilus, 243 marcianus, 102-4 phenax, 243-4 proximus, 102-3 radix, 102-4 sauritus, 102-3 scalaris godmani, 243 sirtalis, 102-3, 147-8, 151-3, 414 sumichrasti, 242-4 thazard, Auxis, 111-4, 235 Thoburnia, 467, 470, 474-6, 480, 484 atripinnis, 470–1, 474–6 hamiltoni, 474–5 rhothoeca, 470-1, 474-5, 480 thrissina, Harengula, 293 Thrissops, 190 Thunnus, 389 albacares, 112, 235 Thymallus, 18, 188 thynnoides, Auxis, 111-2 Tiaroga cobitis, 380-2 tiburo, Sphyrna, 384 tigrinum, Ambystoma, 72-6, 352 tigris, Cnemidophorus, 81 Tilapia, 385 Tiliqua scincoides, 169-73 Tinca, 256 torosa sierrae, Taricha, 415-21 torosa, Taricha, 415, 420-1 Trachurus, 524 Trematomus, 306 bernacchii, 302-8 hansoni, 302, 306

tremblayi, Ambystoma, 352 Triakis semifasciata, 384 Trichogaster, 204 trichopterus, 204 Trichopsis, 206-13 harrisi, 207–12 pumilus, 207–10 vittata, 206-12 trichopterus, Trichogaster, 204 tridens, Poecilia, 117 Trigla, 524 Trionyx spinifer asper, 373-4 triostegus sandvicensis, Acanthurus, 296 triseriata, Pseudacris, 74-5, 131, 141 Triturus, 415 triunguis, Terrapene carolina, 513 Tropidoclonion, 103 lineatum, 103 Tropidonotus natrix, 149 troschelii, Abudefduf, 291, 294, 300 trutta, Salmo, 17, 256 Trygon, 524 Tylosurus, 388-91 acus, 390-2 acus pacificus, 392 cantrainii, 388 crocodilus, 390-2 crocodilus fodiator, 392 raphidoma, 390-1 Typhlomolge rathbuni, 350 Typhlops, 107, 119, 121, 436-8 ataeniatus, 107 biminiensis, 438 braminus, 107 calabresii, 107 capitulatus, 436-9 cuneirostris, 107 gonavensis, 436-9 haitiensis, 436-9 jamaicensis, 438 lumbricalis, 436-9 pusillus, 436-9 scorteccii, 107 sulcatus, 436-9 syntherus, 436-9 unitaeniatus, 107

umbra, Sciaena, 524
umbratilis, Neoheterandria, 118
umbratilis, Notropis, 265–81
Umbrina, 524
umpquae, Ptychocheilus, 33
uniocellatus, Hemipteronotus, 491, 493, 496
uniocellatus, Xyrichthys, 487, 490, 493
unitaeniatus, Typhlops, 107
Uraspis, 389
Urophycis chuss, 194–206
Urosaurus ornatus, 428–36
ornatus linearis, 428–36
urvillii, Strongylura, 390
Uta mearnsi, 78–81
stansburiana, 99–101
stansburiana stejnegeri, 79, 99–101

vaigiensis, Lutjanus, 298
vaillanti, Bathophilus, 530
valenciennesi, Moxostoma, 470–1, 474
vandenburgianus, Sceloporus graciosus, 428–36
vandykei idahoensis, Plethodon, 244

Vara bu me Vari varie varie varie velife velox venti venti venu venu verm verm verm verm verre versie versi vetul vigili Vimb

viper.
virga:
Virgi:
viride
viridi
virta,
vittat.
vittat
vivipa
vivipa
Vorhi
vul;

viola,

Viper

pal

xar

axil sold wallad Walte webbi wehrld whipp

vulpe.

wagne Wak,

Varanus, 169, 171 bulliwallah, 119 mertensi, 119 Varicorhinus, 255-6 variegata, Bombina, 140 variegatus, Cyprinodon, 115-6 variegatus, Syngnathus, 524 velifer, Carpiodes, 470-1, 480-1 velox, Carcharhinus, 384 ventralis, Hemipteronotus, 495-6 ventralis, Xyrichthys, 487, 494 venustus, Notropis, 7 venustus, Xyrichthys, 487, 497, 499 vermicularis darwini, Amphisbaena, 324 vermiculata, Helmintholepis, 178 vermiculatus, Esox americanus, 66 vermiculatus, Xyrichthys, 487, 490, 493 verres, Balistes, 291, 296–7, 300 versicolor, Hyla, 74–5, 143–7, 373–4 versicolor, Poecilia, 117 vetula, Balistes, 11 vigilis, Xantusia, 434-5 Vimba vimba, 524 viola, Pareques, 291, 300 Vipera, 121, 154, 413-4 berus, 148, 414 palaestinae, 147–53 xanthina palaestinae, 260 viperina, Natrix, 414 virgatus, Sceloporus, 428–36 Virginia, 103 virginicus, Anisotremus, 45 viridescens, Notophthalmus, 57, 72-6, 252, 353 viridis, Labrus, 525 viridis prasostictes, Labrus, 525 vitta, Xyrichthys, 487, 490, 493 vittata, Clupea, 228 vittata, Trichopsis, 206-12 vittatus, Ctenops, 206-7 vivipara, Lacerta, 517 vivipara, Poecilia, 117 Vorhisia, 178–80 vulpes, 178–81 vulpes, Vorhisia, 178–81

wagneri, Caspiomyzon, 255
Wak, 253-4
axillaris, 254
soldado, 254
wallacei, Haideotriton, 350
Walterinnesia, 260
webbi, Gerrhonotus multicarinatus, 512
wehrlei, Plethodon, 331
whipplii, Notropis, 1-8

whitneyi, Terrapene, 513 wigginsi, Labrisomus, 26 wilderae, Eurycea bislineata, 252 Winteria, 527 woodi, Novaculichthys, 488 wrayi, Gambusia, 118 wrighti, Desmognathus, 69 wyomingensis, Oligodontosaurus, 106

xanthina palaestinae, Vipera, 260 xanti, Labrisomus, 27 Xantusia vigilis, 434-5 Xenentodon, 389-91 Xenophthalmichthys, 528 Xenosaurus, 105 grandis, 105 Xiphister atropurpureus, 508 Xiphophorus, 382 Xyrauchen, 470, 482 texanus, 470-1, 482 Xyrichthys, 487-8 argentimaculata, 487, 490, 493, 496 binghami, 487, 490, 493 cultratus, 487, 490 infirmus, 487, 497 jessiae, 490, 493 lineatus, 497, 499 martinicensis, 493, 497, 499 modestus, 487, 497, 499 psittacus, 490 rosipes, 487, 490, 496 splendens, 494, 496 uniocellatus, 487, 490, 493 ventralis, 487, 494 venustus, 487, 497, 499 vermiculatus, 487, 490, 493 vitta, 487, 490, 493 Xyrichtys, 487, 488 Xyrula, 487, 488

yaito, Euthynnus, 234 yonahlossee, Plethodon, 331

Zeus faber, 525 pungio, 525 zonatus, Zygonectes, 46 zygaena, Sphyrna, 384 Zygonectes, 47 lateralis, 47 notatus, 47 olivaceus, 47 pulchellus, 47 zonatus, 46

#### SUBJECT INDEX

acanthurid fish, southeastern Atlantic Ocean, activity, diurnal, iguanid lizard, 79, 99-101 diurnal-nocturnal, Gulf of California inshore fishes, 291-302 age at maturity, Cryptobranchus, 370

Notropis spilopterus and N. whipplii, 3 Phaeognathus hubrichti, 68–70

Alaskan fishes, locality records, 506-8 albinism, corn snake, 252

alligator lizards, eggs and young, 512 San Lucan, distribution, 375

Amazonian snake, first record, 511-2 amphisbaenid eye, 324-31

anabantoid fish genera Ctenops and Trichopsis,

angle-measuring instrument, 230-2

audiospectrogram, Australian leptodactylid frogs, 509-11

Pacific tree frog, 131 Panamanian toads, 108-10

Australian skink, heart rate, oxygen consumption, thermal conductance, 169-73 Azerbaidjan freshwater fishes, 254-6

behavior, see also breeding behavior, courtship behavior, reproductive behavior, sexual behavior, spawning behavior

cavernicolous poeciliid, 214-23 chameleon, 401-10

searobin, 194-206 squirrel hake, 194-206

biological clock mechanism, southern cricket frog, 65-6

bioluminescent courtship, midshipman, 239-41

black eelpout, osteology, 442-62 Black Sea fishes, 523-5

BLAKE stations incorrectly recorded by Goode and Bean, 236-8

blennioid fish, new, from Ecuador, 25-7 blind snake, new, West Indies, 436-9

blue-tongued skink, thermal physiology, 169-73 body temperature, Australian skink, 169-73

preferred, and testicular heat sensitivities, 428 - 36

breeding behavior, chameleon, 405-6 red shiner, 465-6

breeding habitat, leptodactylid frog, South Australia, 321

breeding season, Hyla taeniopus, 164 leptodactylid frog, South Australia, 321

breeding structure, Ambystoma maculatum, 352iguanid lizard, 100-1

bronzestriped grunt fish, systematic status, 41-5 burrows, desmognathine salamander, 70 butterflyfish, Atlantic, distribution, 50-8

call, Andean leptodactylid frog, 424 Australian leptodactylid frog, 509-11 laryngeal electromyograms, frogs, 143-7 leptodactylid frogs, 319-20, 321, 424, 509-11 Pacific tree frog, geographic variation, 129-42 Panamanian toads, 108-10 terminology, 144 trill production, frog, 143-7 carrion, food of iguana, 515

catostomid fishes, brain and lips, 467-87 cave salamander in Tennessee, 346-52

cavernicolous poeciliid from Mexico, 214-23 chameleon, behavior and life history, 401-10

two-lined, fungal infections, 363-5 charr, kype, 15, 17-8

chromosome number, Gambusia affinis hol-brookii, 238-9 chromosomes, somatic, newts, 415-21

bre Bu

Bu

hu

Ch

cyp

des

Ele

Ele

fin

gre Gy

Gy

Ha

Hy

Hy

Lat

Lab

leat

lept

Lio mic

Nau

Neo

nom

Pha

Plet

Plet

Pleti

roug

Sacra

shar

Snyd

spin

topn

trout

West

weste

whal

white

Xiph

diving,

ecology

black

butte

Crypt 70

Hyla

Hyla

iguan

loach

plii

egg eat

52

up

11

50

A

or

33

24

p

6

28

S

color, see also color changes, color phase Ambystoma cingulatum, 344-5

chameleon, 402-6

copperheads from North Carolina, 246-7 Hyla chaneque, 165-6 Hyla taeniopus, ontogenetic changes, 162-3 loach minnow, 380-2

midshipman, 241 Notropis spilopterus, N. whipplii, and hybrids, 5

permanent and transient, Euthynnus affinis, 234 - 5

Plethodon salamanders, 331-5, 371-2 scombrid fishes, 234-5

whalefish, 377

color changes, midshipman, 241 scombrid fishes, 234-5 color phases, Plethodon salamanders, 371-2

red-backed salamander, stability of ratio, 95-8 copperheads, intergradation in North Carolina, 246 - 7

corn snake, albinism, 252

courtship behavior, cavernicolous poeciliid, 217-20

chameleon, 407-8 iguanid lizard, 100-1

midshipman, bioluminescent, 239-41 Sacramento perch, 226

crayfish, food of Cryptobranchus, 370 cricket frog, southern, astronomical orientation, 58-66

biological clock mechanism, 65-6 critical thermal maxima, Eurycea bislineata,

cryptobranchid, Ozark, ecology and systematics,

cupulae of free neuromasts, goldfish larvae, 379

cyprinodont fish on Olympic Peninsula, Washington, 115-6

darkness, effects on epigean and cavernicolous poeciliid fish, 217-8

darters, Etheostoma nigrum and E. olmstedi, distinct, 8-13

distribution, Acanthurus bahianus in the southeastern Atlantic Ocean, 110-1 Alfaro, Lake Nicaragua basin, 118

alligator lizard, Baja California, 375 Ambystoma cingulatum, southern Georgia records, 346

Apodichthys flavidus, Alaska record, 508 Artedius harringtoni, Alaska record, 507 Artedius lateralis, Alaska record, 507 Bathymaster caeruleofasciatus, Alaska record,

Belonesox, Costa Rica and Nicaragua, 118 blacknose shark, South Carolina coast, 378 Bothragonus swani, Alaska record, 507 box turtle, China record, 513

bronzestriped grunt fish, northeastern coast of South America, 44 Bufo coccifer, Panama records, 108 Bufo granulosus, Panama records, 110 butterflyfish, Atlantic, 508 Chirolophis nugator, Alaska record, 508 cyprinodont fish on Olympic Peninsula, Washington, 115-6 desmognathine salamander, Conecuh County, Alabama, record, 67 Eleutherodactylus, Colombia, 425-7 Eleutherodactylus, new Brazilian records, 440 finetooth shark, South Carolina, 378 greenside darter, 285-90 Gymnocanthus galeatus, Alaska record, 507 Gyrinophilus palleucus subspecies in Tennessee, 347 Haplodontosaurus excedens, Polecat Bench Formation record erroneous, 106 Hyla chaneque, 166 Hyla taeniopus, 164 Labrisomus, new species, Ecuador, 25 Labrisomus filamentosus, Nicaragua and Hispaniola records, 27 leatherback turtle, Gulf coast of Florida, 365leptodactylid frog, South Australia, 319 Liophis sp., Brazilian record, 511-2 microstomatid fish, new species, California, Nautichthys oculofasciatus, Alaska record, 507 Neoheterandria umbratilis, Lake Nicaragua, 118 nomeid fish, western North Atlantic Ocean, 504-5 Phaeognathus hubrichti, Conecuh County, Alabama, record, 67 Plethodon ouachitae, Oklahoma lowland record erroneous, 334-5 Plethodon salamanders, Ouachita Mountains, Plethodon vandykei idahoensis, Idaho records, roughtail stingray, South Carolina, 378 Sacramento perch, Sacramento River, 224 sharks, Mazatlan, Mexico, 384 Snyderidia canina, 20 spiny dogfish, South Carolina, 378 topminnows, blackstripe and blackspotted, upper Mississippi River valley, 46–7, 52 trout-perch, Alaska record, 232 West Indian blind snakes, 438-9 whalefish off St. Augustine, Florida, 376-7 white shark, Mazatlan, Mexico, 384 Xiphister atropurpureus, Alaska record, 508 diving, Galapagos marine iguana, 249-50 ecology, see also habitat butterflyfish, Atlantic, 508

0

2-3

nd hy-

affinis,

2 0, 95-8

arolina,

id, 217-

entation,

islineata,

tematics,

ae, 379

a, Wash-

rnicolous

olmstedi,

he south-

Georgia

ka record,

508

507

, 118

t, 378

)7

hol-

western sand darter, Great Lakes drainage, 241 blackstripe and blackspotted topminnows, 46, Cryptobranchus, Missouri and Arkansas, 369-Hyla chaneque, 166 Hyla taeniopus, 164 iguanid lizard, 78-81 loach minnow, 380 egg eating, Notropis spilopterus and N. whipplii, 5

eggs, alligator lizards, 512 Cryptobranchus, 369 Echinosaura horrida, 89 Hawaiian frigate mackerels, 112-3 iguana, 515–7 iguanid lizard, 81 johnny darter, 308-14 leatherback turtle, 366 leptodactylid frog, South Australia, 321 little skate, incubation, 114-5 nototheniid fish, 304-6 Phaeognathus hubrichti, 69 Rhinocheilus lecontei tessellatus, 366 elasmobranchs, South Carolina, 378 electrophoretic patterns, Leptodactylus, 155-8 embryo, Telescopus fallax, 149-51 erythrocytes, amphibians and reptiles, 373–5 eye, amphisbaenid, 324–31

fangs, Telescopus fallax embryo, 149-51 fecundity, johnny darter, 308-14 cavernicolous poeciliid, 219-20 feeding, cavernicolous poeciliid, 217 diurnal fishes, 291, 293-7, 300-1 Galapagos marine iguana, 249-50 nocturnal fishes, 291, 297-301 Phaeognathus hubrichti, 70-1 Uta mearnsi, 80-1 feeding responses searobin, 194-206 squirrel hake, 194-206 food, chameleon, 403 Cryptobranchus, 370 Galeichthys felis, 505 gopher snake, 245 iguana, 515 Phaeognathus hubrichti, 70-1 spiny dogfish, 378 Uta mearnsi, 80-1 frigate mackerels, Hawaiian, 111-4 frog call production, 143-7 frog, Eleutherodactylus, Brazil, new, 440-1 Eleutherodactylus, Colombia, new, 425-7 fungal infections, two-lined chameleon, 363-5

gekko, New Zealand, metabolic level and temperature history, 248-9 geographic variation, Ambystoma cingulatum, 342-6

Echinosaura horrida, 86-7 Hyla chaneque, 165 Hyla taeniopus, 163 Notropis spilopterus, 2

habitat, see also ecology

goldfish larvae, cupulae of free neuromasts, 379 gonad development, dark- and light-raised poeciliid fish, 221

reenside darter in the Potomac River, 285-90 Gulf of California inshore fishes, diurnal-nocturnal activity, 291-302

Cryptobranchus, 370 Echinosaura horrida, 88-9 greenside darter, 289 Hyla taeniopus, 164 Notropis spilopterus, 2 Notropis whipplii, 2 Telmatobius montanus, 424 topminnows, blackstripe and blackspotted, 46, western sand darter, 241 heart rate, Australian skink, relation to body temperature, 169–73 hemipenis, *Echinosaura horrida*, 87–8

hybridization, Eurycea bislineata bislineata × E. b. cirrigera, 252

Gyrinophilus palleucus palleucus × G. p. necturoides, 349-51

Notropis spilopterus × N. whipplii, 5-6
Plethodon salamanders, Ouachita Mountains,
334

iguana, carrion eater, 515

eggs and hatchlings, temperature requirements, 515–7

infraorbital canal, Etheostoma nigrum and E. olmstedi, 13

innervation, searobin pectoral fin, 195, 197–8 squirrel hake pelvic fin, 195–7

insects, food of chameleons, 402-3 food of *Uta mearnsi*, 81

isolating mechanisms, Notropis spilopterus and N. whipplii, 6-7

johnny darter, fecundity, 308-14

key, Crinia, South Australia, 320 Echinosaura horrida, 82–3 Hemipteronotus, Atlantic, 487 kype, American salmonids, 14–9

lancelets, food of Galeichthys felis, 505 mortality, rainstorm-induced, 505–6 larvae, Andean leptodactylid frog, 423–4 Crinia, South Australia, 321–4 Hyla chaneque, 165–6 Hyla taeniopus, 163–4 little skate, 114–5 ophidioid fish, 20–2 Smilisca, 168

larynx control and call production in frogs, 143–7 leatherback turtle, Gulf coast of Florida, 365–6

leeches on *Cryptobranchus*, 370 little skate eggs, incubation, 114–5

lizards, body and testicular sensitivities to heat, 428–36

diel activity and social interaction, 99–101 ecology, 78–81

loach minnow, New Mexico, 380-2

leptodactylid frog, Australia, new, 319–20 Chile, redescribed, 421–5 mating call structure, 509–11

margined flyingfish, spawning, Gulf of Guinea, 382

melanoma, leopard catfish eye, 382-3 menhaden, food of spiny dogfish, 378

meristics, Ambystoma cingulatum costal grooves and vomerine teeth, 345

and vomerine teeth, 345 cutthroat trout, 184 frigate mackerel gill rakers, 113 Hyla taeniopus vomerine teeth, 162 Ptychocheilus dentary pores, 33–4 rainbow trout, 184

metabolic level and temperature history, New Zealand gekko, 248-9

metabolic rate reduction in response to starvation, Sternothaerus minor, 367-8 metabolism, spotted salamander, effect of photo-

metabolism, spotted salamander, effect of photoperiod, 53-8 Mexican garter snake, identity, 242-4 Mexican salamander, thermal acclimation, 514–5 Mexican tree frogs, *Hyla taeniopus* group, 159–68

microstomatid fish, new, from California, 281–5 midshipman, bioluminescent courtship, 239–41 migrations, *Ambystoma maculatum*, 352–62 morphology, see also osteology

amphisbaenid eye, 324–31

Andean frog secondary sex characters, 424–5 catostomid fishes brain and lips, 467–87 cavernicolous poeciliid fish, 216–7 chameleon, 403–4

desmognathine salamander, 67–9

Echinosaura horrida, geographic variation, 86-7

Echinosaura horrida hemipenis, 87–8 Etheostoma nigrum and E. olmstedi infraorbital canal, 11, 13 Hyla chaneque tadpoles, 165–6 Hyla taeniopus, enlarged testes, 164

Hyla taeniopus tadpoles, 163–4 little skate larvae, 114–5 opisthoglyph snake embryo, 149–3

opisthoglyph snake embryo, 149–51 Phaeognathus hubrichti, 67–9 red shiner tubercles, 462–7

red shiner tubercles, 462–7 salmonid kype, 14–9 Sardinella aurita, 229–30 searobin pectoral fins, 197–8 squirrel hake pelvic fins, 197 squirrel hake ramus lateralis accessorius, 195

Telescopus fallax embryo, 149–51 water snake, chequered, male reproductive sys-

tem, 411–3 whalefish gas bladder, 377

needlefishes, evaluation of recent studies, 386–92 nesting, leatherback turtle, 365–6

nests, green sunfish, use by redfin shiner, 265–81 of other species, use by cyprinids, 266–7 newts, somatic chromosomes, 415–21

nomeid fish, new, western North Atlantic, 501-

nomenclature, Rana johni, 517 Rana moorei, 517

Rana moorei, 517 nototheniid fish, reproduction, 302–8

odor, discrimination of sex and species, South American tortoises, 335–42

effect on spawning redfin shiners, 265, 280 ontogeny, *Hyla taeniopus*, 162-3 ophidioid fish larva and familial relationships,

20-4 orientation, astronomical, southern cricket frog, 58-66

58-66 oscilloscope recordings, leptodactylid frog mat-

ing calls, 509–11 squirrel hake pelvic fin nerves, 203 osteology, black eelpout, 442–62 Ctenops nobilis, 206–13

frigate mackerel, 113–4 holostean caudal skeleton, 189–90 *Hyla chaneque* skull, 167–8

Hyla chaneque skull, 167-8 Hyla taeniopus skull, 167-8

Natrix, 102 ophidioid caudal structure and predorsal bones, 22–4

Plethodon trunk vertebrae, 372 Smilisca skull, 168

teleostean caudal skeleton, 189-90 teleostean circumorbital bones, 186-8 oxyge effe Pacifi 4 paint

TI

Tr

ter

Up

otoli

paint 3 paleo a Mic 4 Pale

Plei 75 Plei Plei Upp parasi partur pelvic photo

poison 24 popula popula de rainbo

pineal

poecili

ramus rank or razorfis 50 red shi red-bac ity redfin

soc remora reprodu chequ notot reprodu hav spa

Notre Notre redfir Sacrar reprodu 5 round 228

Sacrame salamane vari Amby. stru

critica desmo ecole neotenic, new, 346-52

scales, darters, 10-1

206

335 - 42

42

423 - 4

8, 51-2

Plethodon, Idaho records, 244

ravine, striped color phase, 371-2

scale/vertebra ratio, typhlopids, 107-8

Typhlops, West Indian, 436, 438 whalefish, 377

sciaenid fishes, China, 253-4

tary extract, 174-7

pus group, 155-8

sand darter, western, Great Lakes basin, 241

schooling, Hawaiian frigate mackerels, 112

sex ratio, Ambystoma maculatum, 352-62

desmognathine salamander, 68

sex recognition, chameleon, 406-7

margined flying fish, 382

charr, kype, 15, 17-8

loach minnow, 380-2

Sacramento perch, 225

salmon, snout, 14-5

Hyla taeniopus, 162, 167-8

searobin pectoral fin sensory capabilities, 194-

semen, carp and rainbow trout, effect of pitui-

serological relationships, Leptodactylus pachy-

sexual behavior, South American tortoises, 335-

sexual cycle, male chequered water snake, 411-3

Notropis spilopterus and N. whipplii, 2-3

topminnows, blackstripe and blackspotted, 47-

sexual dimorphism, Andean leptodactylid frog,

discrimination, South American tortoises,

Plethodon, Ouachita Mountains, color and distribution, 331-5

Thamnophis, 102 Trichopsis vittata, 206-13 otoliths, green sunfish, 179 terminology, 179 Upper Cretaceous fish, 178-81 oxygen consumption, relation to body temperature, Australian skink, 169-73 effect of photoperiod, spotted salamander, 53-8 Pacific tree frog call, geographic variation, 129-42 painted turtle, midland, growth and shedding, 314-8 paleontology, Cretaceous salamander, Montana and Wyoming, 90-5 Middle Pliocene cyprinid fishes, Arizona, 28-Paleocene lizards, Wyoming, 104–6 Pleistocene amphibians and reptiles, Florida, Pleistocene box turtles, 513-4 Pleistocene snakes, Texas, 102-4 Pleistocene Tropidoclonium lineatum, 103 Upper Cretaceous fish, South Dakota, 178-81 parasites, desmognathine salamander, 71 parturition, chameleon, 402-3 pelvicless piraya, 110 photoperiod, effect on respiration of spotted salamander, 53-8 pineal organ, ophidioid fish, 22 poeciliid fishes, 117-8 poisoning, secondary, effect on gopher snakes, 244 - 5population densities, iguanid lizard, 78-9 population structure, desmognathine salamanrainbow trout, persistence of native type, 182-5 ramus lateralis accessorius, squirrel hake, 195 rank order, young northern squawfish, 384-5 razorfish genus Hemipteronotus, Atlantic, 487red shiner, nuptial tubercles, 463-7 red-backed salamander, color phase ratio, stabilredfin shiner and green sunfish, spawning association, 265-81 remoras on leatherback turtle, 365 reproduction, Ambystoma maculatum, 352-62 chequered watersnake, 410-5 nototheniid fish, 302-8 reproductive behavior, see also breeding behavior, courtship behavior, sexual behavior, spawning behavior Notropis spilopterus, 1-8 Notropis whipplii, 1–8 redfin shiner, 265–81 Sacramento perch, 224-8 reproductive system, chequered watersnake, 410round herring, Atlantic, earliest description, 228-30

14-5

159-

81-5

-41

4-5

iation,

raorbi-

, 195

tive sys-

386-92

265-81

tic, 501-

s, South

ionships,

ket frog.

rog mat-

predorsal

280

trout, kype, 15-7 sharks, Mazatlan, Mexico, 384 shedding, midland painted turtle, 314-8 size, Acanthurus bahianus, 110-1 little skate larvae, 114–5 margined flyingfish, spawning, 382 Notropis spilopterus, 3 Notropis whipplii, 3 Rhinocheilus lecontei tessellatus, eggs and young, 366 Sacramento perch in Lake Anza, 224 spiny dogfish young, 378 Uta mearnsi, 79 smell in searobins and squirrel hakes, 194-206 social interaction, iguanid lizard, 99–101 sonogram, see audiospectrogram sound production, Notropis spilopterus and N. whipplii, 7 South American tortoises, sex and species discrimination, 335-42 spawning aggregations, redfin shiner, 270 spawning behavior, see also breeding behavior, reproductive behavior, sexual behavior johnny darter, 310-3 margined flyingfish, 382 Notropis spilopterus and N. whipplii, 1-8 Sacramento perch, reproductive behavior, 224-8 Sacramento perch, tail quivering, 226-8 salamander, Ambystoma cingulatum, geographic spawning habitat, Notropis spilopterus and N. variation, 342-6 Ambystoma maculatum, survival and breeding whipplii, 3-4 structure, 352-62 spawning season, Cryptobranchus, 369-70 critical thermal maxima, 251-2 nototheniid fish at McMurdo Sound, 304, 306desmognathine, morphological variation and ecology, 67-71 Notropis spilopterus and N. whipplii, 3

redfin shiner and green sunfish, 271-2 Sacramento perch, 225

spawning site, Notropis spilopterus and N. whipplii, in aquaria, 4 Sacramento perch, 225 species discrimination, South American tortoises,

335-42

spiny dogfish, South Carolina, 378 spotted salamander, photoperiod effect on respiration, 53-8

squawfish, northern, rank order of young, 384-

squirrel hake pelvic fin sensory capabilities, 194-206

starvation, effect on metabolic rate of turtle, 367 - 8stromateid fish identified as a juvenile cory-

phaenid, 232-3 survival in Ambystoma maculatum, 352-62

taste buds, searobin tongue, 199

actinopterygian phylogenies, 189-90 Alosa teres, earliest description of round herring, 228-30

Ambystoma angulatum, subspecific designations unwarranted, 342-6

arctic charr, 19 Artedius delacyi, 507 blind snake, new, 436-9 Capoeta, synonym, 255 Cistudo eurypygia, synonym, 513

Cistudo marnochi, synonym, 513 Clupea sadina, nomen dubium, 228-30 clupeoid fishes, 191

Cobitis aurata, referable to Sabanejewia, 255 Cobitis caspia, referable to Sabanejewia, 255 copperheads, intergradation, 246-7

Cretaceous salamander, new, 90-5 Crinia, new species, 319-24

Cryptobranchus bishopi, subspecies of C. al-

leganiensis, 370 Ctenops and Trichopsis, distinct, 206-13 Cubiceps, new species, 501-5

Echinosaura horrida subspeciation, 82-9 Echinosaura palmeri, subspecies of E. horrida, 82-9

Echinosaura panamensis, subspecies of E. horrida, 82-9 Ectenias brunneus, young of Coryphaena

hippurus, 232-3 Eleutherodactylus, new species, 425-7, 440-1

elopoid fishes, 191-2

Etheostoma nigrum, infraorbital canal character, introgression, 13

Etheostoma olmstedi distinct, 8-13 Gambusia melapleura distinct, 118

Gyrinophilus palleucus, new subspecies, 346-52 Haemulon boschmae, systematic status, 41-5 Haplodontosaurus excedens, nomen dubium, 106

Atlantic razorfish genera Hemipteronotus, united under, 487-501

Hyla bromeliana, synonym, 164 Hyla cyclomaculata, synonym, 164 Hyla dalquesti, synonym, 164

Hyla taeniopus and H. chaneque, relationships, 159-64

Labrisomus, new species, 25-7 leptodactylid frog, new, 319-24 leptodactylid frog, Argentina, serological relationships, 155–8 Liophis sp., 511-2

turtle

type-

typhi

venoi

sca

Th

Lisserpeton, Cretaceous salamander, new genus

and species, 90-5 microstomatid fish, new, 281-5

Middle Pliocene cyprinid fishes, new, 28-38 Nansenia, new species, 281-5 neotenic salamander, new, 346-52

nomeid fish, new, 501-5 Pleistocene hylid frog, new, 75-6

Poecilia tridens, probable synonym, 117 Pristipoma boschmae referable to Haemulon,

pyramodontid fish, vexillifer and adult stages, 20-4

razorfish genera, Atlantic, united, 487–501 Sardinella aurita, 229–30 Snyderidia canina, 20-4 teleostean phylogeny, 186-94

Telmatobius montanus redescribed, 421-5 Terrapene culturalia referable to Emydoidea, 513-4

Terrapene whitneyi, synonym, 513 Thamnophis halophilus, synonym, 243 Thamnophis sumichrasti, distinct, 242-4 topminnows, blackstripe and blackspotted, re-

lationships, 46–53 Trichopsis distinct from Ctenops, 206-13

Typhlops, new species, 436-9 Upper Cretaceous fish, new, 178-81 Upper Cretaceous salamander, new, 90-5 Xyrichthys argentimaculatus, synonym, 493

Xyrichthys lineatus, synonym, 499 Xyrichthys modestus, synonym, 499 Xyrichthys uniocellatus, synonym, 493

Xyrichthys ventralis, synonym, 495-6 Xyrichthys venustus, synonym, 499 Xyrichthys vermiculatus, synonym, 493

Xyrichthys vitta, synonym, 493 teeth, Hyla taeniopus and H. chaneque, 167-8

teiid lizards, Echinosaura, taxonomy, 82-9 teleostean phylogeny, 186–94 temperature, see also body temperature

acclimation, salamander, 251–2 effects on embryonic development, iguana,

515 - 7history and metabolic level, New Zealand gekko, 248-9

territoriality, Chamaeleo hohnelii, 405 iguanid lizard, 79-80, 100-1

young northern squawfish, 384-5

thermal acclimation rate, Mexican salamander, 514-5

thermal conductance, blue-tongued skink, 169-

thermal physiology, Australian skink, 169-73

thermal sensitivities, lizards, 428-36 thyroid, development, dark- and light-raised poeciliid fish, 221

toads, Panamanian, distribution and mating calls, 108-10

topminnows, blackstripe and blackspotted, relationships, 46-53

trout-perch, Alaska record, 232

tubercles, red shiner, 462-7 tuna, coloration, 234-5

turbidity, factor in hybridization, Notropis spilopterus and N. whipplii, 7

turtle metabolic rate, effect of starvation on, 367–8 al retype-species, 518–22 typhlopids, scale/vertebra ratio, 107–8

scales, 436-8

venom apparatus, aglyph and opisthoglyph snakes, 147-54

Thamnophis sirtalis embryo, 151-4

genus

-38

mulon, stages,

)1

-5 doidea,

ted, re-3

-5 493

167-8 9

> iguana, Zealand

amander,

ink, 169-59-73

ght-raised 1 mating

otted, re-

Notropis

vexillum, larval ophidioid fish, 20-1

water snake, chequered, male sexual cycle, 410--5 whalefish, southeastern United States, 376--7white shark, Mazatlan, Mexico, 384

young, alligator lizards, 512 Chamaeleo hohnelii, 402-3 Rhinocheilus lecontei tessellatus, 366